

DELL UltraSharp U3223QZ tietokoneen litteä näyttö 80 cm (31.5") 3840 x 2160 pikseliä 4K Ultra HD LCD Hopea

Tuotemerkki : DELL

Tuoteperhe: UltraSharp

Tuotekoodi: DELL-U3223QZ

Tuotteen nimi : U3223QZ

DELL UltraSharp U3223QZ. Näytön halkaisija: 80 cm (31.5"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: Hopea





Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Tilt adjustment	✓
Display resolution *	3840 x 2160 pixels	Tilt angle range	-5 - 21°
HD type *	4K Ultra HD	On Screen Display (OSD)	1
Native aspect ratio *	16:9	Plug and Play	1
Display technology *	LCD	LED indicators	1
Panel type *	TFT/IPS		•
Backlight type	LED	Power	
Touchscreen *	×	Energy efficiency class (SDR) *	F
Display brightness (typical)	400 cd/m ²	Energy efficiency class (HDR) *	G
Response time * Anti-glare screen	8 ms	Energy consumption (SDR) per 1000 hours *	30 kWh
Screen shape *	• Flat	Energy consumption (HDR) per 1000 hours *	40 kWh
Supported video modes	480p, 720p, 1080i, 1080p, 2160p	Power consumption (typical) *	29.9 W
Contrast ratio (typical) *	2000:1	Power consumption (standby) *	0.3 W
Maximum refresh rate *	60 Hz	Power consumption (max)	240 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	1.07 billion colours	AC input frequency	50 - 60 Hz
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.18159 x 0.18159 mm	Energy efficiency scale	A to G
Pixel density	140 ppi	European Product Registry for	1104060
Horizontal scan range	15 - 140 kHz	Energy Labelling (EPREL) code	1104000
Vertical scan range	23 - 86 Hz	Operational conditions	
Viewable size, horizontal	69.7 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	39.2 cm	Storage temperature (T-T)	-20 - 60 °C
Display diagonal (metric)	80 cm	Operating relative humidity (H-H)	10 - 80%
High Dynamic Range (HDR) supported	×	Storage relative humidity (H-H)	5 - 90%
Surface hardness	3H	Operating altitude	0 - 5000 m
Surface Hardiness	511		

Display		Operational conditions	
Display		•	0 10100 m
Colour gamut standard Colour gamut	DCI-P3 98%	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	100%	Weight & dimensions	
Dell ComfortView technology	✓	Width (with stand)	712.6 mm
		Depth (with stand)	230 mm
Performance		Height (with stand) Weight (with stand)	497.8 mm 11.5 kg
Flicker-free technology		Width (without stand)	712.6 mm
Low Blue Light technology	✓	Depth (without stand)	58 mm
Infrared (IR) sensor	 Image: A second s	Height (without stand)	475.5 mm
Multimedia		Weight (without stand)	7.26 kg
Number of speakers	2	Bezel width (side)	7.65 mm
RMS rated power	14 W	Bezel width (top)	3.85 cm
Built-in speaker(s) *	 Image: A set of the set of the	Bezel width (bottom)	2.21 cm
Megapixel (approx.)	8 MP	Packaging data	
Built-in microphone	 Image: A second s	Package weight	16.1 kg
Built-in camera *	1	USB cable length	1 m
Design		Packaging content	
Market positioning *	Business	Stand included	1
Product colour *	Silver	Cables included	DisplayPort, USB Type-A to USB
Front bezel colour	Black		Type-C, USB Type-C to USB Type-C
Detachable stand	✓	Quick start guide	
Feet colour	Silver	DisplayPort cable length	1.8 m
Ports & interfaces		Sustainability	
Built-in USB hub *	1	Sustainability certificates	ENERGY STAR, TCO
USB upstream port type	USB Type-C	Doesn't contain	PVC/BFR
Number of upstream ports	2	Carbon footprint	
USB Type-A downstream ports quantity	5	Total carbon footprint (kg of CO2e)	841
USB Type-C downstream ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	216
USB Power Delivery (USB PD)	1	Carbon emissions, manufacturing (kg of CO2e)	458
USB Power Delivery up to	90 W	Carbon emissions, logistics (kg of	80
HDMI *	1	CO2e)	
HDMI ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	294
HDMI version	2.0	Carbon emissions, end-of-life (kg of	
DisplayPorts quantity	2	CO2e)	9
DisplayPort version	1.4	Total carbon emissions, w/o use	547
Headphone out *	✓	phase (kg of CO2e)	
Headphone outputs	1	PAIA version	1.3.1
Built-in KVM switch	✓	Other features	
HDCP	✓	On/off switch	1
AC (power) in	✓	Picture-by-Picture (PbP)	✓
Network		Maximum resolution	3840 x 2160 pixels
Wi-Fi	×	RJ-45 ports quantity	1
Ergonomics		Heavy metals free	Hg (mercury)
		Proximity sensor	
VESA mounting *	✓ 100 × 100 mm	Compliance certificates	RoHS
Panel mounting interface	100 x 100 mm	Power management	٠
Cable lock slot *	✓ Konsington	Logistics data	
Cable lock slot type	Kensington	Harmonized System (HS) code	85285210
Height adjustment *			
Height adjustment	15 cm		
Pivot	×		
Swivelling	✓		
Swivel angle range	-30 - 30°		





5397184567814

0884116416975



884116416975

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.