## Samsung G40B computer monitor 63.5 cm (25") 1920 x 1080 pixels Full HD Black

Brand : Samsung

Product family: Odyssey

Product code: LS25BG400EUXEN

Product name : G40B

- IPS panel comes together for a crystal clear picture

- G-Sync compatible monitor has a 240Hz refresh rate and 1ms (GtG) response time
- Ultrawide Game View
- 25", 1920 x 1080, IPS 16:9, 240Hz, 1 ms (GtG), Black

Samsung G40B. Display diagonal: 63.5 cm (25"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting, Height adjustment. Product colour: Black





## Display

Display		Ergonomics	
Display diagonal *	63.5 cm (25")	Swivel angle range	-15 - 15°
Display resolution *	1920 x 1080 pixels	Tilt adjustment	1
HD type *	Full HD	Tilt angle range	-3 - 22°
Native aspect ratio *	16:9	Picture-in-Picture	×
Panel type *	IPS	Black eQualizer function	1
Display brightness (typical)	400 cd/m <sup>2</sup>	Devue	
Display brightness (min)	320 cd/m <sup>2</sup>	Power	
Response time *	1 ms	Energy efficiency class (SDR) *	E
Response time measurement type	GTG (Gray to Gray)	Energy efficiency class (HDR) *	G
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	) 18 kWh
Contrast ratio (typical) *	1000:1	Energy consumption (HDR) per	
Dynamic contrast ratio marketing name	Mega DCR	1000 hours *	31 kWh
Maximum refresh rate *	240 Hz	Power consumption (typical) *	18 W
Refresh rate optimizor	1	Power consumption (max)	35 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	Power supply type	External
Viewable size, horizontal	54.4 cm	Energy efficiency scale	A to G
Viewable size, vertical	30.3 cm	European Product Registry for Energy Labelling (EPREL) code	1190679
Display diagonal (metric)	62 cm		
High Dynamic Range (HDR)	1	Operational conditions	10 40.90
supported High Dynamic Range (HDR)		Operating temperature (T-T) Operating relative humidity (H-H)	10 - 40 °C 10 - 80%
technology	High Dynamic Range 10 (HDR10)		10 - 00%
sRGB coverage (typical)	99%	Weight & dimensions	
Quantum dot color technology	×	Width (with stand)	558.5 mm
Performance		Depth (with stand)	244.8 mm
	1	Height (with stand)	552.9 mm
NVIDIA G-SYNC * NVIDIA G-SYNC type	<ul> <li>G-SYNC Compatible</li> </ul>	Weight (with stand) Width (without stand)	4.5 kg 558.5 mm
21		Depth (without stand)	558.5 mm 85.4 mm
AMD FreeSync *		Height (without stand)	341.1 mm
AMD FreeSync type	FreeSync Premium	Weight (without stand)	2.8 kg
ConnectShare (USB)	×		
Flicker-free technology	✓	Packaging data	
Game mode	×	Stand type	HAS stand

Performance		Packaging data	
Game features	Super Arena Gaming UX, Super Ultrawide GameView	Package width	628 mm
	Cinema, Custom, Dynamic, FPS,	Package depth	429 mm
Smart modes	RPG, RTS, Sports	Package height Package weight	163 mm 6 kg
Windows operating systems supported	Windows 10	Packaging content	o ky
Multimedia		Cables included	HDMI
Built-in speaker(s) *	×	Power cable length	1.5 m
Adaptive Sound Control (ASC)	×	Other features	
Built-in camera *	×	Brand specific technologies	Black Equalizer
Design		Low input lag	1
Market positioning *	Consumer	Sound mirroring	×
Product colour *	Black	TV Plus	×
Feet colour	Black	SmartThings app support	×
Ports & interfaces		Works with Samsung Bixby	×
Built-in USB hub *	×	Tap view	×
DVI port	×	Far-field voice interaction	×
HDMI *	~ ✓	Universal guide	×
HDMI ports quantity	2	Power consumption (DPMS)	0.5 W
HDMI version	2.0	Picture-by-Picture (PbP)	×
DisplayPorts quantity	1	Samsung Eye Saver Mode	1
DisplayPort version	1.2	Anynet + (HDMI-CEC)	×
Audio input	×	Wireless charging	×
Headphone out *	1	Daisy chain	×
HDCP	1	Eco Saving Plus	1
HDCP version	2.2	Eco Motion Sensor	×
Network		Eco Light Sensor	1
Wi-Fi	×	Image size	No
Bluetooth	×	Wireless display	×
Ethernet LAN	×	Gray balance	No
		Disclaimer	×
Ergonomics		Factory tunning	No
VESA mounting *	100 100	Adaptive picture	1
Panel mounting interface	100 x 100 mm	Off Timer Plus	1
Wall mountable		Workspace	×
Height adjustment *	✓ 12 cm	Factory calibration report	×
Height adjustment Pivot	12 cm	Uniformity correction	×
Pivot Pivot angle	✔ -92 - 92°	Virtual AIM point	1
Swivelling	-92 - 92 ✓		
Swivening	÷		



8806094341850

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.