


StarTech.com PEX8S1050 liitântäkortti/-sovitin Sisäinen Sarja

Tuotemerkki : StarTech.com

Tuotekoodi: PEX8S1050

Tuotteen nimi : PEX8S1050

StarTech.com PEX8S1050. Isäntäkoneen käyttöliittymä: PCIe, Lähtöliitäntä: Sarja, Sarjaliitännän tyyppi: RS-232. Tuotteen väri: Keltainen, Kaapelin enimmäispituus: 0,5 m, Keskimääräinen vikaantumisaika: 160013 h. Piirisarja: ASMedia - ASM1083, System Base - SB16C1058PCI, Baudinopeus: 921,6 Kbit/s, FIFO (ensiksi sisään, ensiksi ulos): 256 B. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Tuetut palvelinkäyttöjärjestelmät: Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows.... Tuotteen leveys: 16 mm, Tuotteen syvyys: 105 mm, Tuotteen korkeus: 120 mm



Liitettävyys		Järjestelmävaatimukset	
Isäntäkoneen käyttöliittymä *	PCIe	Linux-käyttöjärjestelmätuki	✓
Lähtöliitäntä *	Sarja	Tuetut palvelinkäyttöjärjestelmät	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019
Sarjaporttien määrä	8		
Sarjaliitännän tyyppi	RS-232		
Suunnittelu		Tekniset tiedot	
Sisäinen *	✓	Vaativuuden mukaisuustodistukset	RoHS
Tuotteen väri	Keltainen	Paino ja mitat	
Kaapelin enimmäispituus	0,5 m	Tuotteen leveys	16 mm
Keskimääräinen vikaantumisaika	160013 h	Tuotteen syvyys	105 mm
		Tuotteen korkeus	120 mm
Ominaisuudet		Paino	74 g
Piirisarja	ASMedia - ASM1083, System Base - SB16C1058PCI	Pakkaustiedot	
Baudinopeus	921,6 Kbit/s	Sisältää johdot	Sarja
FIFO (ensiksi sisään, ensiksi ulos)	256 B	Pika-asennusopas	✓
Databitit	5, 6, 7, 8	Pakkauksen leveys	190 mm
Stop-bitit	1, 1.5, 2	Pakkauksen syvyys	290 mm
Pariteettibitti	Tasainen, Ei, Odd	Pakkauksen korkeus	65 mm
Flow Control -tyyppi	RTS/CTS, XON/XOFF	Pakkauksen paino	672 g
Ympäristöolosuhteet		Logistiikkatiedot	
Käyttölämpötila (T-T)	0 - 55 °C	Harmonoidun järjestelmän nimikkeistökoodi (HS)	84733020
Varastointilämpötila	-40 - 75 °C	Määrä per tuotepakkaus	14 kpl
Käytön suhteellinen kosteus (H-H)	5 - 95%	Tukkupakkauksen leveys	400 mm
		Tuotepakkauksen pituus	510 mm
		Tukkupakkauksen korkeus	315 mm

Järjestelmävaatimukset**Muut ominaisuudet**

Windows-käyttäjärjestelmätuki	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows CE, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Yhdenmukaisuus alan vaatimusten kanssa 16C1050 UART
-------------------------------	--	---



0065030888295



065030888295

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-NOV-2024. Prints or copies of Information are only valid on the printed Publication date