StarTech.com ST4300USBM keskitin USB 3.2 Gen 1 (3.1 Gen 1) Type-B 5000 Mbit/s musta

Tuotemerkki : StarTech.com   **Tuotekoodi:** ST4300USBM

Tuotteen nimi : ST4300USBM

StarTech.com ST4300USBM. Isäntäkoneen käyttöliittymä: USB 3.2 Gen 1 (3.1 Gen 1) Type-B, Liittimiä: USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Tiedonsiirtonopeus: 5000 Mbit/s, Tuotteen väri: musta, Kotelon materiaali: Terästä. Virrankulutus: 36 W, Ulostulojännite: 12 V, Lähtövirta: 3 A. Windows-käyttöjärjestelmätuki: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,..., Mac-käyttöjärjestelmätuki: Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard. Tuotteen leveys: 59,6 mm, Tuotteen syvyys: 152 mm, Tuotteen korkeus: 24 mm

Ports & interfaces

Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-B
Hub interfaces *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Ports quantity *	4
Terminal block port	✔
DC-in jack	✔

Features

Data transfer rate *	5000 Mbit/s
Product colour	Black
Housing material	Steel
LED indicators	Power, USB
Hot-swap	✔
Plug and Play	✔
Certification	RoHS, CE, FCC, TAA, REACH

Power

Power consumption (typical)	36 W
Output voltage	12 V
Output current	3 A
Power plug type	Type M

Weight & dimensions

Weight	301 g

Packaging data

Quantity per pack	1 pc(s)
Package width	295 mm
Package depth	191 mm
Package height	69 mm
Package weight	1.2 kg

Packaging content

AC adapter included	✔
Included power plug types	AU, EU, NA, UK
Cables included	USB
Manual	✔

Operational conditions

Operating temperature (T-T)	0 - 55 °C
Storage temperature (T-T)	-20 - 85 °C
Operating relative humidity (H-H)	5 - 95%

Performance

Mean time between failures (MTBF)	245881 h

Logistics data

Master (outer) case width	402 mm
Master (outer) case length	513 mm
Master (outer) case height	318 mm
Products per master (outer) case	14 pc(s)
Harmonized System (HS) code	84719000

Other features

Chipset	VIA/VLI - VL811+

System requirements

Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard

Weight & dimensions

Width	59.6 mm
Depth	152 mm
Height	24 mm

0065030841603

065030841603

0021112436907

021112436907

0777787401053

777787401053

0650308416036

650308416036