StarTech.com DK31C3HDPDUE kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 2 (3.1 Gen 2) Type-C musta, Harmaa

Tuotemerkki: StarTech.com Tuotekoodi: DK31C3HDPDUE

Tuotteen nimi: DK31C3HDPDUE

StarTech.com DK31C3HDPDUE. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery asti: 85 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Tuotteen väri: musta, Harmaa, Tiedonsiirtonopeus: 10 Gbit/s, Digitaalinen enimmäistarkkuus: 3840 x 2160 pikseliä. AC-syöttöjännite: 100 - 240 V, Syöttöjännite: 2.5 A, Ulostulojännite: 20 V. Windowskäyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High...





Ports & interfaces		Power	
Connectivity technology *	Wired	Compatible power plug types	EU, UK
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Software	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3		Windows 10, Windows 10 Education, Windows 10 Education
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Mandana	x64, Windows 10 Enterprise, Windows 10 Enterprise x64,
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Windows operating systems supported	Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		
USB Power Delivery (USB PD)	✓		x64, Windows 10 x64 Mac OS X 10.10 Yosemite, Mac OS X
USB Power Delivery up to	85 W	Mac operating systems supported	10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.6 Snow
HDMI ports quantity *	3		
HDMI version	2.0		
DisplayPorts quantity	3	Flue operating systems supported	Leopard, Mac OS X 10.7 Lion, Mac
Combo headphone/mic port	✓		OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 13.0
Headphone outputs *	1		Ventura
DC-in jack	✓	Operational conditions	
Network		Operating temperature (T-T)	0 - 50 °C
Ethernet LAN *	✓	Storage temperature (T-T)	-20 - 70 °C
Ethernet LAN (RJ-45) ports	1	Operating relative humidity (H-H)	0 - 95%
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight & dimensions	
Performance		Width	84 mm
Card reader integrated *	×	Depth	233 mm
Data transfer rate	10 Gbit/s	Height	37 mm
Maximum digital resolution	3840 x 2160 pixels	Weight	365 g
Cable lock slot	✓	Packaging data	
Cable lock slot type	Kensington	Package width	172 mm

Performance		Packaging data	
Product colour * Housing material Certification	Black, Grey Aluminium, Plastic CE, FCC	Package depth Package height Package weight	253 mm 91 mm 1.7 kg
Power		Packaging content	
AC input voltage Input current Output voltage Output current Power plug type	100 - 240 V 2.5 A 20 V 7.5 A Type M	Cables included AC adapter included Quick start guide	USB Type-A to USB Type-C ✓
		Technical details	
		Compliance certificates	RoHS
		Logistics data	
		Logistics data	
		Products per master (outer) case Master (outer) case width Master (outer) case length Master (outer) case height Harmonized System (HS) code	6 pc(s) 315 mm 395 mm 300 mm 84733020
		Products per master (outer) case Master (outer) case width Master (outer) case length Master (outer) case height	315 mm 395 mm 300 mm





065030881944

0065030881944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.