

## Epson CO-W01 dataprojektori 3000 ANSI lumenia 3LCD WXGA (1200x800) musta, Valkoinen



**Tuotemerkki :** Epson

**Tuotekoodi:** V11HA86040

**Tuotteen nimi :** CO-W01

Epson CO-W01. Projektorin kirkkaus: 3000 ANSI lumenia, Projektioteknologia: 3LCD, Projektorin oletusresoluutio: WXGA (1200x800). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 6000 h, Valonlähteen käyttöikä (säästötila): 12000 h. Tarkennus: Ohje, Heittosuhde: 1.27 - 1.71:1. Videon väritilat: Elokuvateatteri, Dynaaminen, Esitys, Elävä. Melutaso: 38 dB, Melutaso (taloudellinen tila): 29 dB, Alkuperämaa: Filippiinit

Projector		Features	
Screen size compatibility *	635 - 9601.2 mm (25 - 378")	Noise level (economic mode)	29 dB
Projection distance	0.9 - 10.4 m	Noise level *	38 dB
Projector brightness *	3000 ANSI lumens	Country of origin	Philippines
Projection technology *	3LCD	<b>Multimedia</b>	
Projector native resolution *	WXGA (1200x800)	Built-in speaker(s) *	✓
Native aspect ratio *	16:10	RMS rated power	5 W
Number of colours	16.7 million colours	<b>Design</b>	
Projector brightness (economic mode)	2000 ANSI lumens	Market positioning *	Presentation
Keystone correction, horizontal	-30 - 30°	Product colour *	Black, White
Keystone correction, vertical	-30 - 30°	Placement	Desktop
Matrix size	1.5 cm (0.59")	Cable lock slot	✓
Vertical synchronization (min)	100 kHz	Cable lock slot type	Kensington
Vertical synchronization (max)	120 kHz	<b>Power</b>	
<b>Light source</b>		Power source *	AC
Light source type *	Lamp	Power consumption (typical) *	270 W
Service life of light source *	6000 h	Power consumption (standby) *	0.5 W
Service life of light source (economic mode)	12000 h	Power consumption (economy mode)	214 W
Lamp type	UHE	AC input voltage	100 - 240 V
Lamp power	188 W	AC input frequency	50 - 60 Hz
<b>Lens system</b>		<b>Operational conditions</b>	
Focus *	Manual	Operating temperature (T-T)	5 - 40 °C
Zoom capability	✓	Storage temperature (T-T)	-10 - 60 °C
Throw ratio	1.27 - 1.71:1	Operating relative humidity (H-H)	20 - 80%
<b>Video</b>		Storage relative humidity (H-H)	10 - 90%
Analog signal format system *	Not supported	<b>Weight &amp; dimensions</b>	
Full HD *	✗	Width	295 mm
3D *	✗	Depth	211 mm
Video colour modes	Cinema, Dynamic, Presentation, Vivid	Height	87 mm
<b>Ports &amp; interfaces</b>		Weight *	2.4 kg
HDMI version	1.4	Package width	365 mm
USB 2.0 ports quantity	2	Package depth	322 mm
USB 2.0 Type-A ports quantity	1	Package height	165 mm
USB 2.0 Type-B ports quantity	1	Package weight	3.68 kg
HDMI ports quantity *	1	<b>Packaging content</b>	
<b>Storage</b>		Remote control included *	✓
Card reader integrated *	✗	Batteries included	✓
		Cables included	AC

**Technical details**

Commodity Classification Automated Tracking System (CCATS)	85286200000
--	-------------

**Logistics data**

Harmonized System (HS) code	85286200000
-----------------------------	-------------



8715946706849

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-DEC-2024. Prints or copies of Information are only valid on the printed Publication date