## ASUS TUF GAMING X670E-PLUS WIFI AMD X670 Pistoke AM5 ATX

Tuotemerkki: ASUS Tuotekoodi: 90MB1BK0-M0EAY0

Tuotteen nimi: TUF GAMING X670E-PLUS WIFI

ASUS TUF GAMING X670E-PLUS WIFI. Suoritinvalmistaja: AMD, Prosessorin kanta: Pistoke AM5, Yhteensopivat prosessorit: AMD Ryzen 7000 Series. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 192 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 10. Enimmäiserottelutarkkuus: 7680 x 4320 pikseliä. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, Wi-Fi-standardi: Wi-Fi 6E (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E...





Processor			Rear panel I/O ports	
Processor manufacturer *		AMD	Microphone in	<b>✓</b>
Processor socket *		Socket AM5	S/PDIF out port	×
Compatible processor series *		AMD Ryzen 7000 Series	Network	
Supported processor sockets		Socket AM5		
Memory			Ethernet LAN	✓
Supported memory types * Number of memory slots *	DDR5-SDRAM 4		Ethernet interface type	2.5 Gigabit Ethernet
Memory slots type Memory channels	DIMM Dual-channel		Wi-Fi *	✓
ECC compatibility	ECC & Non-ECC		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4800,5000,5200,5400,50 MHz	500,5800,6000,6200,6400,6600,6800,7000,7200,7600,7800,8000		802.11a, 802.11b, 802.11g, Wi-Fi 4
Supported memory clock speed (max)	6400 MHz		Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi
Maximum internal memory * Unbuffered memory	192 GB ✓		BL	6 (802.11ax), Wi-Fi 6E (802.11ax)
Storage controller	rs		Bluetooth	<b>✓</b>
<b>J</b>		Bluetooth version	5.2	
Supported storage drive types HDD & SSD		Features		
Supported storage drive interfaces			Motherboard chipset *	AMD X670
RAID support		•	Audio output channels *	7.1 channels
RAID levels		0, 1, 10	Product colour	Black
Graphics			Component for *	PC
Parallel processing technology			Motherboard form factor *	ATX
support *	3,	Not supported	Motherboard chipset family *	AMD
On-board graphics of	card	×	Power source type	ATX
Maximum resolution		7680 x 4320 pixels	Windows operating systems	Windows 10 v64 Windows 11 v64
Internal I/O		supported	Windows 10 x64, Windows 11 x64	
USB 2.0 connectors *		3	Expansion slots	
USB 3.2 Gen 1 (3.1	JSB 3.2 Gen 1 (3.1 Gen 1)		PCI Express x4 slots	1
connectors *			PCI Express x16 (Gen 4.x) slots	1
•	5B 3.2 Gen 2 (3.1 Gen 2)		PCI Express x16 (Gen 5.x) slots	1
connectors *		_	Number of M.2 (M) slots	4
Number of SATA III	connectors *	4		

Internal I/O		BIOS	
Front panel audio connector	1	BIOS type *	UEFI AMI
Front panel connector	1	BIOS memory size	256 Mbit
ATX Power connector (24-pin)	✓	Packaging data	
CPU fan connector	✓	Package width	338 mm
Number of chassis fan connectors	4	Package depth	273 mm
Peripheral (Molex) power	1	Package height	68 mm
connectors (4-pin)		Package weight	2.55 kg
EPS power connector (8-pin)	<b>/</b>	Weight & dimensions	
Number of COM connectors	1	Width	305 mm
Thunderbolt headers	1	Depth	244 mm
12V power connector	✓	Packaging content	
RGB LED pin header	<b>✓</b>	Cables included	SATA
Rear panel I/O ports		User guide	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Drivers included	,
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	3	Other features	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1		TUF PROTECTION - DIGI+ VRM (- Digital power design with DrMOS) ESD Guards - LANGuard -
JSB 3.2 Gen 2x2 Type-C ports quantity	1		Overvoltage Protection - Safeslot Core+ - Stainless-Steel Back I/O
Ethernet LAN (RJ-45) ports *	1		ASUS Q-Design - M.2 Q-Latch - Q- DIMM - Q-LED (CPU [red], DRAM
HDMI ports quantity *	1		[yellow], VGA [white], Boot Device
HDMI version	2.1		[yellow green]) - Q-Slot ASUS
DisplayPorts quantity	1		Thermal Solution - M.2 heatsink - VRM heatsink design ASUS EZ DIV
Headphone outputs	1		BIOS FlashBack™ button - BIOS
Line-in		Special features	FlashBack™ LED - Clear CMOS header - ProCool - Pre-mounted I/shield - SafeSlot - SafeDIMM AUR/Sync - AURA RGB header - Addressable Gen 2 headers TUF PROTECTION - DIGI+ VRM (- Digit power design with DrMOS) - ESD Guards - LANGuard - Overvoltage Protection - Safeslot - Stainless-Steel Back I/O ASUS Q-Design - M Q-Latch - Q-DIMM - Q-LED (CPU [red], DRAM [yellow], VGA [white] Boot Device [yellow green]) - Q-S ASUS Thermal Solution - M.2
		Packaging content	heatsink - VRM heatsink design ASUS EZ DIY - BIOS FlashBack™ button - BIOS FlashBack™ LED - Clear CMOS header - ProCool - Promounted I/O shield - SafeSlot - SafeDIMM AURA Sync - AURA RGE header - Addressable Gen 2 head Cables 2 x SATA 6Gb/s cables Miscellaneous 1 x ASUS Wi-Fi moving antenna 2 x Rubber packages for M.2 2 x Screw packages for M.2 SSD Documentation 1 x TUF certificati





4711081905738

4711081905745

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.