



TP-Link Omada ER8411 langallinen reititin Gigabitti Ethernet musta

Tuotemerkki : TP-Link

Tuoteperhe: Omada

Tuotekoodi: ER8411

Tuotteen nimi : ER8411



TP-Link Omada ER8411. Verkkostandardit: IEEE 802.1Q, Ethernet-liitännän tyyppi: Gigabitti Ethernet, Kaapelitekniikka: 10/100/1000Base-T(X). NAT-toiminnallisuus: One-to-One NAT; Multi-Net NAT; Virtual Server; Port Triggering; NAT-DMZ; FTP/H.323/SIP/IPSec/PPTP.... Flash-muisti: 256 MB, Sisäinen muisti: 4096 MB, Sisäisen muistin tyyppi: DDR4. Tuotteen väri: musta. AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 50 - 60 Hz



WAN connection		Security	
Ethernet WAN *	✓	NAT functionality	One-to-One NAT; Multi-Net NAT; Virtual Server; Port Triggering; NAT-DMZ; FTP/H.323/SIP/IPSec/PPTP ALG; UPnP;
DSL WAN *	✗		
SIM card slot *	✗		
3G/4G USB modem compatibility *	✗		
SFP WAN *	✓	Packaging content	
Network		AC adapter included	✓
Networking standards *	IEEE 802.1Q	Manual	✓
Ethernet interface type *	Gigabit Ethernet	Features	
Cabling technology	10/100/1000Base-T(X)	Built-in processor	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Flash memory	256 MB
Static route	✓	Internal memory	4096 MB
VLAN support	✓	Internal memory type	DDR4
Port forwarding	✓	Certification	CE, FCC, RoHS
Management features		Design	
Universal Plug and Play (UPnP)	✓	Product colour *	Black
Reset button	✓	LED indicators	✓
Ports & interfaces		Power	
Ethernet LAN (RJ-45) ports *	8	AC input voltage	100 - 240 V
Combo SFP ports quantity	2	AC input frequency	50 - 60 Hz
USB ports quantity	2	Operational conditions	
DC-in jack	✓	Operating temperature (T-T)	0 - 40 °C
Protocols		Storage temperature (T-T)	-40 - 70 °C
DHCP client *	✓	Operating relative humidity (H-H)	10 - 90%
DHCP server *	✓	Storage relative humidity (H-H)	5 - 90%
		Weight & dimensions	
		Width	440 mm

Security

URL filtering	✓
Access Control List (ACL)	✓

Weight & dimensions

Depth	220 mm
Height	44 mm

Packaging data

Package width	336 mm
Package depth	528 mm
Package height	100 mm
Package weight	3.68 kg



4897098683309



4897098683132



0840030703300



840030703300

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.