ASUS TUF Gaming TUF-RTX4090-24G-GAMING NVIDIA GEForce RTX 4090 24 GB GDDR6X

Brand : ASUS **Product family:** TUF Gaming **Product code:** 90YV0IE1-M0NA00

Product name: TUF-RTX4090-24G-GAMING

TUF Gaming GeForce RTX \$ 4090 24GB GDDR6X optimized inside and out for lower temps and durability.

ASUS TUF Gaming TUF-RTX4090-24G-GAMING NVIDIA GeForce RTX 4090 24 GB GDDR6X:

ARMED FOR FLOW

The NVIDIA Ada Lovelace architecture elevated by buffed cooling and power delivery, and backed with an arsenal of rugged reinforcements to cover your six.

Lock, load, and dominate with the TUF Gaming GeForce RTX® 4090.

ASUS TUF Gaming TUF-RTX4090-24G-GAMING. Graphics processor family: NVIDIA, Graphics processor:

ASUS TUF Gaming TUF-RTX4090-24G-GAMING. Graphics processor family: NVIDIA, Graphics processor: GeForce RTX 4090. Discrete graphics card memory: 24 GB, Graphics card memory type: GDDR6X, Memory bus: 384 bit. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12 Ultimate, OpenGL version: 4.6. Interface type: PCI Express 4.0. Cooling type: Active, Number of fans: 3 fan(s), Illumination colour: Blue, Green, Red





Processor		Performance	
CUDA * CUDA cores Graphics processor family * Graphics processor * Processor frequency (OC mode) Processor boost clock speed (Gaming mode) Maximum resolution * Parallel processing technology support *	✓ 16384 NVIDIA GeForce RTX 4090 2550 MHz 2520 MHz 7680 x 4320 pixels Not supported	OpenGL version * HDCP Dual Link DVI * NVIDIA G-SYNC NVIDIA Ansel Design Cooling type * Number of fans Form factor	4.6 X X Active 3 fan(s) Full-Height/Full-Length (FH/FL)
Maximum displays per videocard 4 Memory Discrete graphics card memory * 24 GB Graphics card memory type * GDDR6X	24 GB	Number of slots Illumination Illumination colour Product colour	3.65 ✓ Blue, Green, Red Grey
Memory bus * Data transfer rate Ports & interfaces	384 bit 21 Gbit/s	Power Minimum system power supply * Supplementary power connectors	850 W 1x 16-pin
Interface type * HDMI ports quantity * HDMI version DisplayPorts quantity * DisplayPort version	PCI Express 4.0 2 2.1a 3 1.4a	Weight & dimensions Weight Length Depth Height	2.34 kg 348.2 mm 72.6 mm 150 mm
Performance TV tuner integrated * DirectX version *	X 12 Ultimate	Packaging data Package width Package depth	425.9 mm 266 mm

_			
Dac	nev	ına	data
· ac	Nuy	шч	uutu

Package height 99 mm
Package weight 3.36 kg
Package type Box



4711081936930

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.