ASUS ROG STRIX B650E-E GAMING WIFI AMD B650 Pistoke AM5 ATX

Tuotemerkki : ASUS Tuotekoodi: 90MB1BB0-M0EAY0

Tuotteen nimi: ROG STRIX B650E-E GAMING WIFI

ASUS ROG STRIX B650E-E GAMING WIFI. Suoritinvalmistaja: AMD, Prosessorin kanta: Pistoke AM5, Yhteensopivat prosessorit: AMD Ryzen 7000 Series. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, Wi-Fi-standardi: Wi-Fi 6E (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E.... Komponentti (tuotteelle): PC, Emolevyn muototekijä: ATX, Emolevyn piirisarjan perhe: AMD





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Supported processor sockets	AMD Socket AM5 AMD Ryzen 7000 Series Socket AM5	USB 3.2 Gen 2x2 Type-C ports quantity Ethernet LAN (RJ-45) ports * HDMI ports quantity *	1 1 1
Number of memory slots * Memory slots type Memory channels ECC compatibility Supported memory clock speeds	DDR5-SDRAM 4 DIMM Dual-channel ECC & Non-ECC 4800,5000,5200,5400,5600,5800,6000,6200,6400 MHz	HDMI version DisplayPorts quantity DisplayPort version Headphone outputs Line-in Microphone in S/PDIF out port	2.1 1 1.4 1 •
(max) Maximum internal memory * Unbuffered memory	6400 MHz 128 GB ✔	Network Ethernet LAN Ethernet interface type	✓ 2.5 Gigabit Ethernet
Storage controllers Supported storage drive types Supported storage drive interfa RAID support	1	Wi-Fi * Top Wi-Fi standard Wi-Fi standards	✓ Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11ar), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
RAID levels Graphics Parallel processing technology support *	0, 1, 10 Not supported	Bluetooth Bluetooth version Features	√ 5.2
Internal I/O USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors *	2 1 1	Motherboard chipset * Audio chip Audio output channels * Component for * Motherboard form factor * Motherboard chipset family *	AMD B650 Realtek ALC4080 7.1 channels PC ATX AMD

r of SATA III connectors * 4 Power source type ATX Windows operating systems supported Windows 10, Windows 11 Wer connector (24-pin) Pour source type ATX Windows 10, Windows 11 Expansion slots PCI Express x16 (Gen 4.x) slots 1 PCI Express x16 (Gen 5.x) slots 2 Number of M.2 (M) slots 4 PCI Express x16 (Gen 5.x) slots 2 Number of M.2 (M) slots 4 PCI Express x16 (Gen 5.x) slots 2 Number of M.2 (M) slots 4 PO pin header V BIOS PO pin header V BIOS POPTS quantity * 4 POPTS QUANTITIES AND QUANTITIE					
Panel audio connector Power connector (24-pin) Fan connector Power connector P	nal I/O		Features		
supported windows 10, windows 11 U fan connector	mber of SATA III connectors *	4	Power source type	ATX	
PU fan connector (24-pin) PU fan connector wmber of chassis fan connectors 5 PS power connector (8-pin) PS power connector PS power connector (8-pin) PS power connector PS power p	ront panel audio connector	✓		Windows 10, Windows 11 x6	
In the Control	• •				
PS power connector (8-pin) Industrial PS power connector (8-pin) Industrial PS power connector (8-pin) Industrial PS power connector PS power c		•	•	1	
Number of M.2 (M) slots 4 Number of M.2 (M) slo			•		
BIOS ACEV power connector ACEG LED pin header ACEV power connector BIOS BIOS type * BIOS BIOS		•	•		
BIOS type * UEFI AMI BIOS memory size 256 Mbit Clear CMOS button Packaging data Package width 343 mm Package depth 273 mm Package height 77 mm Package weight 2.44 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide Other features		1	. ,	<u>'</u>	
BIOS memory size 256 Mbit Clear CMOS button Clear CMOS	·	*			
USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * Package depth 273 mm Package height 77 mm Package weight 2.44 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features	RGB LED pin header	✓	• •		
USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * 1 Package depth 273 mm Package height 77 mm Package weight 2.44 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features	Rear panel I/O ports		,		
Package width Package width Package depth Package height Package weight Pa	USB 2.0 ports quantity *	4	Clear CMOS button	/	
Package width 343 mm JSB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * Package height 77 mm Package weight 2.44 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features		6	Packaging data		
Package height 77 mm Package weight 2.44 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features	' '	0	Package width	343 mm	
Package height 77 mm Package weight 2.44 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Package depth	273 mm	
Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features			Package height	77 mm	
Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features			Package weight	2.44 kg	
Depth 244 mm Packaging content Cables included SATA User guide ✓ Other features			Weight & dimensions		
Packaging content Cables included SATA User guide ✓ Other features			Width	305 mm	
Cables included SATA User guide ✓ Other features			Depth	244 mm	
User guide ✓ Other features			Packaging content		
Other features			Cables included	SATA	
			User guide	✓	
Back-to-BIOS button ✓			Other features		
			Back-to-BIOS button	✓	



4711081906209

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.