ASUS TUF GAMING Z790-PLUS WIFI D4 Intel Z790 LGA 1700 ATX

Brand : ASUS Product code: 90MB1CR0-M0EAY0

Product name: TUF GAMING Z790-PLUS WIFI D4

TUF Gaming Z790-Plus WIFI D4 motherboard socket Intel LGA1700 (ATX, PCIe 5.0, DDR4 memory, 4x M.2, HDMI, DisplayPort, WiFi 6, Aura Sync)

ASUS TUF GAMING Z790-PLUS WIFI D4. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6 (802.11ax), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Component for: PC, Motherboard form factor: ATX, Motherboard chipset family: Intel





Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	HDMI ports quantity *	1
Processor socket *	LGA 1700	HDMI version	2.1
	Intel® Celeron®, Intel® Core™ i3,	DisplayPorts quantity	1
Compatible processor series *	Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	DisplayPort version	1.4
		Headphone outputs	1
Supported processor sockets	LGA 1700	Line-in	✓
Memory Supported memory types * DDR4-SDRAM		Microphone in	✓
Number of memory slots * 4 Memory slots type DIMM		S/PDIF out port	✓
Memory channels Dual-channel ECC compatibility Non-ECC Supported memory clock speeds \$333,5133,5066,5000,4800,4700,4600,4500,4400,M17	0,4266,4133,4000,3866,3733,3600,3466,3400,3333,3200,3000,2933,2800,2666,2400,213	, WiFi-AP antenna jack	2
Supported memory clock speed (max) 5333 MHz Maximum internal memory * 128 GB		Network	
Unbuffered memory		Ethernet LAN	✓
Storage controllers		Ethernet interface type	2.5 Gigabit Ethernet
Supported storage drive types	HDD & SSD	Wi-Fi *	✓
Supported storage drive interfaces		Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
RAID support	V		802.11a, 802.11b, 802.11g, Wi-Fi 4
RAID levels Graphics	0, 1, 5, 10	Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
•		Bluetooth	✓
Parallel processing technology support *	Not supported	Bluetooth version	5.2
On-board graphics card	x	Features	
Internal I/O		Motherboard chipset *	Intel Z790
USB 2.0 connectors *	2	Audio chip	Realtek S1220A
USB 3.2 Gen 1 (3.1 Gen 1)	1	Audio output channels *	7.1 channels
connectors *	1	Product colour	Black
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Component for * Motherboard form factor *	PC ATX
Number of SATA III connectors *	4	Motherboard chipset family *	Intel
Front panel audio connector	✓	Power source type	ATX

supported supported supported supported supported supported supported supported supported supported supported supported supported supported supported supported supported su	rnal I/O		Features	
mber of chassis fan connectors 4 S power connector (8-pin)	X Power connector (24-pin)	·		Windows 10, Windows 11
underbolt headers I PCI Express x4 (Gen 4.x) slots I PCI Express x16 (Gen 5.x) slots I Number of M.2 (M) slots I Number of	lumber of chassis fan connectors	4	Expansion slots	
V power connector B LED pin header V PCI Express x16 (Gen 4.x) slots 1 PCI Express x16 (Gen 5.x) slots 1 Number of M.2 (M) slots 4 BIOS B 3.2 Gen 1 (3.1 Gen 1) Type-A 2 B 3.2 Gen 2 (3.1 Gen 2) Type-A 3 Atts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C 3 B 3.2 Gen 2 (3.1 Gen 2) Type-C 4 B 3.2 Gen 2 (3.1 Gen 2) Type-C 5 B 3.2 Gen 2 (3.1 Gen 2) Type-C 7 B 3.2 Gen 2 (3.1 Gen 2) Type-C 1 B 3.2 Gen 2 (3.1 Gen 2) Type-C 1 B 3.2 Gen 2 (3.1 Gen 2) Type-C 1 B 3.2 Gen 2 (3.1 Gen 2) Type-C 1 B 4 Packaging data Package width 340 mm Package depth 275 mm Package height 70 mm Package weight 70 mm Package weight 2.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓	EPS power connector (8-pin)	✓	PCI Express x1 (Gen 3.x) slots	2
PCI Express x16 (Gen 5.x) slots 1 Number of M.2 (M) slots 4 ar panel I/O ports B IOS B 3.2 Gen 1 (3.1 Gen 1) Type-A tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-A tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C ports antity B 3.2 Gen 2 (Thunderbolt headers	1	PCI Express x4 (Gen 4.x) slots	1
Number of M.2 (M) slots BIOS B 3.2 Gen 1 (3.1 Gen 1) Type-A rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-A rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * Packaging data Package width 340 mm Package depth 275 mm Package depth 70 mm Package weight 7.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓	12V power connector	✓	PCI Express x16 (Gen 4.x) slots	1
BIOS B 3.2 Gen 1 (3.1 Gen 1) Type-A tris quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-A tris quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-A tris quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tris quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tris quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C tris quantity * B 3.2 Gen 2 x2 Type-C ports antity * B 3.2 Gen 2 x2 Type-C ports 1 Packaging data Package width 340 mm Package depth 275 mm Package height 70 mm Package weight 2.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓	RGB LED pin header	✓	•	
B 3.2 Gen 1 (3.1 Gen 1) Type-A trs quantity * BIOS type * UEFI AMI B 3.2 Gen 2 (3.1 Gen 2) Type-A trs quantity * BIOS memory size 192 Mbit Clear CMOS button Packaging data B 3.2 Gen 2 (3.1 Gen 2) Type-C trs quantity * Package width 340 mm Package depth 275 mm Package depth 70 mm Package weight 70 mm Package weight 2.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide	Poor nanol I/O norts		Number of M.2 (M) slots	4
rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-A rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 x2 Type-C ports antity B 3.2 Gen 2 x2 Type-C ports 1 Package width Package depth Package height Package weight 70 mm Package weight 2.14 kg Weight & dimensions Width Depth Packaging content Cables included SATA User guide ✓	•		BIOS	
B 3.2 Gen 2 (3.1 Gen 2) Type-A rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2 x2 Type-C ports 1 Package width 275 mm Package depth 70 mm Package weight 2.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓	ports quantity *	4	BIOS type *	UEFI AMI
Rts quantity * B 3.2 Gen 2 (3.1 Gen 2) Type-C rts quantity * B 3.2 Gen 2x2 Type-C ports antity B 3.2 Gen 2x2 Type-C ports antity hernet LAN (RJ-45) ports * 1 Package weight Packag	USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	BIOS memory size	192 Mbit
rts quantity * B 3.2 Gen 2x2 Type-C ports antity hernet LAN (RJ-45) ports * 1 Package depth 275 mm Package height 70 mm Package weight 2.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide Value with 340 mm Package weight 2.75 mm Package weight 305 mm Packaging content Value guide ✓	ports quantity *	2	Clear CMOS button	✓
antity Package depth Package height Package weight	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Packaging data	
Package depth 275 mm Package height 70 mm Package weight 2.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide Vomm Vomm Vomm Vomm Vomm Vomm Vomm V	USB 3.2 Gen 2x2 Type-C ports	1	Package width	340 mm
Package weight 2.14 kg Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓	quantity	_	•	
Weight & dimensions Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓	Ethernet LAN (RJ-45) ports *	1		
Width 305 mm Depth 244 mm Packaging content Cables included SATA User guide ✓			Package weight	2.14 kg
Depth 244 mm Packaging content Cables included SATA User guide			Weight & dimensions	
Packaging content Cables included SATA User guide ✓			Width	305 mm
Cables included SATA User guide ✓			Depth	244 mm
User guide ✓			Packaging content	
-			Cables included	SATA
Drivers included ✓			User guide	✓
			Drivers included	✓





4711081941088

4711081941095

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.