NOC

AOC V5 CU34V5C/BK LED display 86,4 cm (34") 3440 x 1440 pikseliä Wide Quad HD musta

Tuotemerkki : AOC Tuoteperhe: V5 Tuotekoodi: CU34V5C/BK

Tuotteen nimi: CU34V5C/BK

AOC V5 CU34V5C/BK. Näytön halkaisija: 86,4 cm (34"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: Wide Quad HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type	86.4 cm (34") 3440 x 1440 pixels Wide Quad HD 21:9 LED VA W-LED	Headphone outputs Headphone connectivity HDCP HDCP version AC (power) in Mobile High-Definition Link (MHL)	1 3.5 mm ✓ 2.2 ✓
Touchscreen *	×	Ergonomics	
Display brightness (typical)	300 cd/m ²	VESA mounting *	✓
Response time *	1 ms	Panel mounting interface	100 x 100 mm
Anti-glare screen	✓	Wall mountable	✓
Screen shape *	Curved	Cable lock slot *	✓
Screen curvature rating	1500R	Cable lock slot type	Kensington
Contrast ratio (typical) *	3000:1	Height adjustment *	·
Contrast ratio (dynamic)	20000000:1	Height adjustment	13 cm
Maximum refresh rate *	100 Hz	Pivot	×
Viewing angle, horizontal	178°	Swivelling	1
Viewing angle, vertical	178°	Tilt adjustment	·
Display number of colours *	16.7 million colours	Tilt angle range	3 - 21°
Pixel pitch	0.23175 x 0.23175 mm	Picture-in-Picture	√ · · · · · · · · · · · · · · · · · · ·
Pixel density	109.7 ppi		
Display diagonal (metric)	86.4 cm	On Screen Display (OSD)	Character and Chicago Traditional
Surface hardness	6H		Simplified Chinese, Traditional Chinese, Croatian, Czech, German,
sRGB coverage (typical) NTSC coverage (typical)	116% 101%	On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish,
Adobe RGB coverage	100%	2 30. co 2.5p.a.) (332, languages	French, Italian, Japanese, Korean, Polish, Portuguese, Russian,
DCI-P3 coverage	93%		Swedish, Turkish, Ukrainian
		Number of OSD languages	19
		LED indicators	✓

Performance		Power	
NVIDIA G-SYNC *		Energy efficiency class (SDR) *	G
	X	Energy efficiency class (HDR) *	G
AMD FreeSync * AMD FreeSync type	✓ FreeSync	Energy consumption (SDR) per 1000 hours *	
Fast charging Flicker-free technology	✓	Energy consumption (HDR) per 1000 hours *	35 kWh
Low Blue Light technology	✓	Power consumption (typical) *	60 W
Brand-specific features	False	Power consumption (standby) *	0.5 W
Multimedia		Power consumption (off)	0.3 W
Number of speakers	2	AC input voltage	100 - 240 V
RMS rated power	10 W	AC input frequency	50 - 60 Hz
Built-in speaker(s) *	✓ ·	Power supply type	Internal
•		Energy efficiency scale	A to G
Built-in microphone Built-in camera *	×	European Product Registry for Energy Labelling (EPREL) code	1245431
Design		Weight & dimensions	
-	Home	Width (with stand)	808.1 mm
Market positioning * Product colour *	Black	Depth (with stand)	250 mm
Frameless design	Jidck ✓	Height (with stand)	527.3 mm
Front bezel colour	Black	Weight (with stand)	9.34 kg
		Width (without stand)	808.1 mm
Detachable stand	✓	Depth (without stand)	99.9 mm
Feet colour	Black	Height (without stand)	365.3 mm
Ports & interfaces		Packaging data	
Built-in USB hub *	•	Package width	189 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	1071 mm
USB upstream port type	USB Type-C	Package height	500 mm
Number of upstream ports	1	Package weight	11.8 kg
Number of USB Type-C upstream	1	Package type	Box
ports quantity USB Type-A downstream ports		USB cable length	1.8 m
quantity	4	Packaging content	
USB Type-C DisplayPort Alternate Mode	✓	Stand included	✓
USB Power Delivery (USB PD)	✓	Cables included	AC
USB Power Delivery up to	65 W	HDMI cable length	1.5 m
DVI port	×	Other features	
HDMI *	✓	Picture-by-Picture (PbP)	✓
HDMI ports quantity	1	Exterior finish type	Matt
HDMI version	2.0	Mean time between failures (MTBF)	50000 h
DisplayPorts quantity	1	Light effects	×
DisplayPort version	1.2		
Headphone out *	✓		
•			



4038986110198

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.