

Lenovo

Lenovo ThinkSystem ST50 V2 palvelin 2 TB Tower Intel Xeon E E-2324G 3,1 GHz 8 GB DDR4-SDRAM 500 W

Tuotemerkki : Lenovo**Tuoteperhe**: ThinkSystem**Tuotekoodi**: 7D8JA02YEA**Tuotteen nimi** : ST50 V2

Lenovo ThinkSystem ST50 V2. Suoritinperhe: Intel Xeon E, Prosessorin taajuus: 3,1 GHz, Prosessorimalli: E-2324G. Sisäinen muisti: 8 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 8 GB. Kokonaistallennuskapasiteetti: 2 TB. Ethernet LAN, Kaapelitekniikka: 10/100/1000Base-T(X). Virtalähde: 500 W. Alustatyyppi: Tower



Processor		Design	
Processor manufacturer *	Intel	Product colour	Black
Processor family *	Intel Xeon E	Performance	
Processor model *	E-2324G	BIOS type	UEFI
Processor frequency *	3.1 GHz	Trusted Platform Module (TPM)	✓
Processor boost frequency	4.6 GHz	Trusted Platform Module (TPM) version	2.0
Processor cores	8	Software	
Processor cache	8 MB	Operating system installed *	✗
Motherboard chipset	Intel C256	Compatible operating systems *	Microsoft Windows Server, Red Hat Enterprise Linux, VMware ESXi
Number of processors installed	1	Processor special features	
Execute Disable Bit	✓	CPU configuration (max)	1
Idle States	✓	Enhanced Intel SpeedStep Technology	✓
Embedded options available	✓	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Memory		Intel Trusted Execution Technology	✓
Internal memory *	8 GB	Intel VT-x with Extended Page Tables (EPT)	✓
Internal memory type *	DDR4-SDRAM	Intel Clear Video Technology	✓
Memory slots	4x DIMM	Intel Software Guard Extensions (Intel SGX)	✓
ECC	✓	Intel 64	✓
Memory layout (slots x size)	1 x 8 GB	Intel Virtualization Technology (VT-x)	✓
Maximum internal memory *	128 GB	Power	
Storage		Redundant power supply (RPS) support *	✗
Total storage capacity *	2 TB	Power supply *	500 W
Number of HDDs installed	1	Operational conditions	
HDD capacity	2 TB	Operating temperature (T-T)	5 - 45 °C
Graphics		Storage temperature (T-T)	-40 - 60 °C
On-board graphics card	✓	Operating relative humidity (H-H)	8 - 90%
On-board graphics card model	Intel UHD Graphics P750	Storage relative humidity (H-H)	8 - 90%
Network		Operating altitude	0 - 3050 m
LAN controller	Intel® I219-LM		
Ethernet LAN	✓		
Cabling technology	10/100/1000Base-T(X)		
Ethernet interface type	Gigabit Ethernet		
Ports & interfaces			
Ethernet LAN (RJ-45) ports *	1		

Ports & interfaces		Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	6	Width	170 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Depth	316 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Height	376 mm
Serial ports quantity	1	Weight	9.4 kg
DisplayPorts quantity	2		
Design			
Chassis type *	Tower		



5415247306290

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date