



LG 98UH5J-H Signage Display Digital signage flat panel 2.49 m (98") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS 24/7

Brand : LG

Product code: 98UH5J-H

Product name : 98UH5J-H



- Appropriate display brightness
- High-performance with webOS
- Conformal coating
- Mobile content management
- IP5x certified design
- Compatible with AV control system

98", UHD, IPS, 3840 x 2160, 16:9, HDMI, USB 2.0 Type A, 2191.8 x 1246.8 x 86.1 mm, 66000 g
 LG 98UH5J-H. Product design: Digital signage flat panel. Display diagonal: 2.49 m (98"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black

| Display | | Design | |
|----------------------------|-----------------------|-----------------------------------|--|
| LED backlighting type | Direct-LED | Bezel width (bottom) | 1.49 cm |
| Display diagonal * | 2.49 m (98") | Bezel width (side) | 1.49 cm |
| Display technology * | LCD | Bezel width (top) | 1.49 cm |
| Display resolution * | 3840 x 2160 pixels | Performance | |
| Display brightness * | 500 cd/m ² | Purpose * | Universal |
| HD type * | 4K Ultra HD | On Screen Display (OSD) | ✓ |
| Response time | 8 ms | On Screen Display (OSD) languages | Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Portuguese, Russian, Swedish, Turkish |
| Contrast ratio (typical) | 1200:1 | Operating hours (hours/days) | 24/7 |
| Contrast ratio (dynamic) | 1000000:1 | Power | |
| Viewing angle, horizontal | 178° | Power consumption (typical) * | 420 W |
| Viewing angle, vertical | 178° | Power consumption (off) | 0.5 W |
| Display number of colours | 1.07 billion colours | AC input voltage | 100 - 240 V |
| Panel life | 50000 h | AC input frequency | 50 - 60 Hz |
| Native refresh rate | 60 Hz | Heat dissipation | 1433 BTU/h |
| Haze rate | 28% | Computer system | |
| Ports & interfaces | | Internal memory | 16 GB |
| HDMI ports quantity * | 3 | Operating system installed | WebOS |
| HDMI version | 2.2/1.4 | Weight & dimensions | |
| HDMI output ports quantity | 1 | Display width | 2191.8 mm |
| DVI port * | ✓ | Display depth | 86.1 mm |
| DVI-D ports quantity | 1 | Display height | 1246.8 mm |
| DisplayPorts quantity * | 1 | Display weight | 66 kg |
| USB port * | ✓ | Packaging data | |
| USB ports quantity | 1 | Package width | 2342 mm |
| USB connector type | USB Type-A | Package depth | 420 mm |
| Ethernet LAN * | ✓ | Package height | 1386 mm |
| Ethernet LAN (RJ-45) ports | 1 | Package weight | 99 kg |
| Wi-Fi * | ✓ | | |
| Audio (L/R) in | 1 | | |
| Audio (L/R) out | 1 | | |
| RS-232C | ✓ | | |
| Remote (IR) input | 1 | | |
| Audio | | | |
| Built-in speaker(s) * | ✓ | | |

| Design | | Packaging content | |
|--------------------------|----------------------------|-----------------------------------|--------------------------------------|
| Product design * | Digital signage flat panel | Remote control included | ✓ |
| Placement supported * | Indoor | Batteries included | ✓ |
| Orientation | Horizontal | Cables included | Power |
| Product colour * | Black | Operational conditions | |
| VESA mounting * | ✓ | Operating temperature (T-T) | 0 - 40 °C |
| Panel mounting interface | 800 x 400 mm | Operating relative humidity (H-H) | 10 - 80% |
| | | Certificates | |
| | | Certification | CB/NRTL, NewErP, FCC Class "A"/CE/KC |
| | | Features | |
| | | Heat dissipation (max) | 1945 BTU/h |
| | | Other features | |
| | | Quick start guide | ✓ |



8806091848529



0195174042878



195174042878

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.