D-Link

D-Link DWR-960 langaton reititin Gigabitti Ethernet Kaksitaajuus (2,4 GHz/5 GHz) 4G musta

Tuotemerkki : D-Link

Tuotekoodi: DWR-960

Tuotteen nimi : DWR-960

D-Link DWR-960. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 5 (802.11ac), WLAN-tiedonsiirtonopeus (maks.): 1200 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Kaapelitekniikka: 10/100/1000Base-T(X). Mobiiliverkon sukupolvi: 4G, 2G standardit: GPRS, GSM, 3G-standardit: UMTS. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, WPA, WPA2

WAN connection	
Ethernet WAN *	✔
SIM card slot *	✔
WAN connection type	RJ-45

Wireless LAN features	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max) *	1200 Mbit/s
Wi-Fi standards	Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	866 Mbit/s
WLAN data transfer rate (second band)	300 Mbit/s

Network	
Ethernet LAN *	✔
Ethernet LAN interface type *	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11ac, IEEE 802.11n

Mobile network	
Mobile network generation	4G
3G	✔
4G	✔

Security	
Stateful Packet Inspection (SPI)	✔
MAC address filtering	✔
Network address translation (NAT)	✔

Protocols	
DHCP client	✔

Design	
Product colour	Black
LED indicators	LAN, Power, WLAN
Product type *	Portable router

Certificates	
Compliance certificates	CE, RoHS

Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	✔
Antenna included	✔

Sustainability	
Sustainability compliance	✔

Antenna	
Antenna design *	External
Detachable antenna(s)	✔

Mobile network

2G standards	GPRS, GSM
3G standards	UMTS
4G standard	LTE-TDD & LTE-FDD
GSM bands supported	850,900,1800,1900 MHz
UMTS bands supported	900,2100 MHz
4G bands supported	800,900,1800,2100,2600 MHz

Ports & interfaces

Ethernet LAN (RJ-45) ports *	2
USB port *	✘
DC-in jack	✔

Management features

Web-based management	✔
Reset button	✔
WPS push button	✔

Security

Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA2

Power

Power source type *	DC
External power adapter	✔

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%

Weight & dimensions

Width	132 mm
Depth	126 mm
Height	44 mm
Weight	300 g

Logistics data

Harmonized System (HS) code	85176990

0790069460111

790069460111