



Canon MAXIFY GX3050 Mustesuihku A4 600 x 1200 DPI Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: MAXIFY

Tuotekoodi: 5777C006

Tuotteen nimi : GX3050

Canon MAXIFY GX3050. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 600 x 1200 DPI. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserotellutarkkuus: 1200 x 2400 DPI. Kaksipuolinen toiminto: Kopiointi, Tulosta. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: musta, Valkoinen



Printing		Ports & interfaces	
Duplex printing mode	Auto	USB connector	USB Type-B
Print technology *	Inkjet	Network	
Printing *	Colour printing	Wi-Fi *	✓
Duplex printing *	✓	Ethernet LAN *	✗
Maximum resolution *	600 x 1200 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Print speed (ISO/IEC 24734) black	18 ppm	Security algorithms	WPA-AES, WPA-EAP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP, WPA3-EAP, WPA3-SAE
Print speed (ISO/IEC 24734) colour	13 ppm	Mobile printing technologies	Apple AirPrint, Mopria Print Service, PIXMA Cloud Link
Duplex print speed (black, normal quality, A4/US Letter)	10 ppm	Design	
Duplex print speed (colour, normal quality, A4/US Letter)	8 ppm	Product colour *	Black, White
Time to first page (black, normal)	8 s	Market positioning *	Business
Time to first page (colour, normal)	9 s	Built-in display *	✓
Economical printing	✓	Display	LCD
Borderless printing	✗	Display diagonal	3.43 cm (1.35")
DVD/CD printing	✗	Control type	Buttons
Copying		Colour display	✗
Duplex copying *	✓	Power	
Duplex copying mode	Manual	Power consumption (copying)	18 W
Copying *	Colour copying	Power consumption (standby)	1.4 W
Maximum copy size	A4	Power consumption (off)	0.1 W
Maximum number of copies	99 copies	Energy Star Typical Electricity Consumption (TEC)	0.19 kWh/week
Copier resize	25 - 400%	AC input voltage	100 - 240 V
N-in-1 copy function	✓	AC input frequency	50 - 60 Hz
N-in-1 copy function (N=)	2, 4		
ID-card copy function	✓		
Auto fit function	✓		

Scanning		System requirements	
Duplex scanning *	✗	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Scanning *	Colour scanning	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Optical scanning resolution *	1200 x 2400 DPI	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Maximum scan area	216 x 297 mm	Mobile operating systems supported	Android, iOS, iPadOS
Scanner type *	Flatbed scanner	Other operating systems supported	ChromeOS
Scan technology	CIS	Operational conditions	
Input colour depth	16 bit	Operating relative humidity (H-H)	10 - 90%
Output colour depth	8 bit	Operating temperature (T-T)	5 - 35 °C
Input greyscale depth	16 bit	Storage relative humidity (H-H)	10 - 90%
Output greyscale depth	8 bit	Weight & dimensions	
Fax		Width	399 mm
Faxing *	✗	Depth	719 mm
Features		Height	303 mm
Recommended duty cycle	200 - 1000 pages per month	Weight	8.3 kg
Maximum duty cycle *	33000 pages per month	Packaging data	
Duplex functions *	Copy, Print	Package width	488.9 mm
Ink tank system	✓	Package depth	588 mm
Printing colours *	Black, Cyan, Magenta, Yellow	Package height	313.7 mm
Replacement cartridges	GI-56 Bk, GI-56 Y, GI-56 C, GI-56 M	Package weight	13.2 kg
Input & output capacity		Packaging content	
Total number of input trays *	3	Cartridge(s) included	✓
Total input capacity *	350 sheets	Included cartridge capacity (black)	6000 pages
Paper tray 1 input capacity	100 sheets	Included cartridge capacity (CMY)	14000 pages
Paper tray 2 input capacity	250 sheets	Included cartridge capacity (economy mode, black)	9000 pages
Auto document feeder (ADF)	✗	Included cartridge capacity (economy mode, CMY)	21000 pages
Paper handling		Cables included	AC
Maximum ISO A-series paper size *	A4	Logistics data	
Paper tray media types *	Envelopes, High resolution paper, Photo paper, Plain paper	Pallet gross width	98.6 cm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Pallet gross length	118.4 cm
ISO B-series sizes (B0...B9)	B5	Pallet gross height	94.6 cm
Non-ISO print media sizes	Legal, Letter	Pallet gross weight	160.1 kg
Envelopes sizes	Com-10, DL	Products per pallet layer	12 pc(s)
Photo paper sizes	10x15,13x18,18x25,20x25	Products per pallet	12 pc(s)
Custom media width	89 - 216 mm	Technical details	
Custom media length	127 - 1200 mm	Warranty period	2 year(s)
Paper tray media weight	64 - 105 g/m ²	Introduction month	December
Ports & interfaces		Other features	
Direct printing *	✓	Software support	Canon PRINT Inkjet/SELPHY, Easy-PhotoPrint Editor, Creative Park, Easy-PhotoPrint Editor
USB port	✓		



4549292204476

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date