Canon PIXMA G1530 mustesuihkutulostin Väri 4800 x 1200 DPI A4

Tuotemerkki : Canon

Tuoteperhe: PIXMA

Tuotekoodi: 5809C006

Tuotteen nimi : G1530

Canon PIXMA G1530. Väri, Värikasettien määrä: 4. Suurin resoluutio: 4800 x 1200 DPI. Suurin ISO Aluokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 11 ppm. Kaksipuolinen tulostus. Tuotteen väri: musta





Separate cartridgesSeparate cartridgesDuplex printing *Duplex printing modeManualPrinting colours *Black, Cyan, Magenta, YellowAC input voltage100 - 240 VInk tank systemColour *System requirementsNumber of print cartridges *4Mac OS X 10.1 S Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.1 S Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 S Panter, Mac OS X 10.4 S Pa				
Duplex printing *✓Consumption (TEC)0.1 kWn/weekDuplex printing modeManualAC input voltage100 - 240 VPrinting colours *Black, Cyan, Magenta, YellowAC input frequency50 - 60 HzInk tank system✓System requirementsColour *✓✓Number of print cartridges *4Windows operating systems supportedWindows 10, Windows 11, Windows 8.1Printing✓Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 So X 10.5 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 So X 10.5 Leopard, Mac OS X 10.3 Panther, Mac OS X 10.4 So X 10.5 Catalina, Mac OS X 10.3 Leopard, Mac OS X 10.3 Panther, Mac OS X 10.4 So X 10.5 Catalina, Mac OS X 10.3 Leopard, Mac OS X 10.3 Panther, Mac OS X 10.4 So X 10.5 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.5 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.5 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.5 X 10.4 Sonw Leopard, Mac OS X 10.7 Lion, Mac OS X 10.5 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.7 Lion, Mac OS X 10.5 X 10.4 Sonw Leopard, Mac OS X 10.7 Lion, Mac OS X 10.5 X 10.8 Sonw Leopard, Mac OS X 10.7 Lion, Mac	Features		Power	
Duplex printing mode Printing colours * Ink tank systemManual Black, Cyan, Magenta, Yellow *AC input voltage AC input frequency100 - 240 V S0 - 60 HzInk tank system*AC input frequency50 - 60 HzColour ****Colour ***Number of print cartridges *4*Printing**Printing6 ppm*Print speed (colour, draft quality, A4/US Letter)6 ppm*Advos t 1200 DPI Print speed (black, normal quality, A4/US Letter) *6 opm*Borderless printing***Borderless printing***Input & output capacity***Total input capacity *1100 sheets*Paper handling216 x 1200 mmOperating systems supported*Maximum print size216 x 1200 mmOperating relative humidity (HI-H)10 - 90%Paper first media burges *AdOperating relative humidity (HI-H)10 - 90%		1		0.1 kWh/week
Printing colours * Black, Cyan, Magenta, Yellow AC input frequency 50 - 60 Hz Ink tank system ✓ System requirements Colour * ✓ Windows operating systems supported Windows 10, Windows 11, Windows 8.1 Number of print cartridges * 4 Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.4 Nonteres Print speed (black, normal quality, A4/US Letter) * 6 ppm Naximum resolution * 4800 x 1200 DPI Print speed (black, normal quality, A4/US Letter) * 11 ppm Print speed (black, normal quality, A4/US Letter) * 11 ppm Sorter operating systems supported Vindows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2016, Win			AC input voltage	100 - 240 V
Ink tank systemYearSystem requirementsColour *Yindows operating systems supportedWindows operating systems supportedWindows 10, Windows 11, Windows 8.1 Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.5 Data Leopard, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.4 Tiger, Mac OS X 10.5 Panther, Mac Mac OS X 10.4 Tiger, Mac OS X 10.4 Tiger, M			AC input frequency	50 - 60 Hz
Colour*Windows operating systems supportedWindows 10, Windows 11, Windows 8.1Number of print cartridges *4Windows operating systems supportedWindows 10, Windows 11, Windows 8.1Printing	5		System requirements	
Number of print cartridges *4supported8.1Number of print cartridges *4Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Now Leopard, Mac OS X 10.5 Now Leopard, Mac OS X 10.5 Now Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey Windows Server 2018 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2012 R2, Windows Server 2019, Windows Server 2012 R2, Windows Server 2019, Windows Server 2022 Server 2012 R2, Windows Server 2019, Windows Server 2019, Windows Server 2022 Server 2019, Windows Server 2022Paper handlingOperating temperature (T-T) A4S - 35 °CMaximum print size216 x 1200 mm A4Operating relative humidity (H-H) Operating relative humidity (H-H)10 - 90%Paper trav media burse *Envelopes, High resolution paper, Envelop		-	Windows operating systems	Windows 10, Windows 11, Windows
PrintingPrintingPrint speed (colour, draft quality, A4/US Letter)6 ppmMaximum resolution *6 ppmMaximum resolution *4800 x 1200 DPIPrint speed (black, normal quality, A4/US Letter) *11 ppmBorderless printing✓Borderless printing✓Input & output capacity1Total number of input trays *1Total number of input trays *1Total number of input trays *1Maximum print size216 x 1200 mmMaximum print size216 x 1200 mmMaximum ISO A-series paper size *A4Paper tray media types *A4Envelopes, High resolution paper, Maximum ISO A-series paper size *Envelopes, High resolution paper,Maximum Fint Size216 x 1200 mmMaximum ISO A-series paper size *Envelopes, High resolution paper,Maximum ISO A-series paper size *A4Maximum ISO A-series paper size *Envelopes, High resolution paper,Maximum ISO A-series paper size *A4Maximum ISO A-series paper size *A1Maximum ISO A-series paper			supported	
Print speed (colour, draft quality, A4/US Letter)6 ppmMac operating systems supportedOS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.0 Big Sur, Mac OS X 10.2 Monterey Windows Server 2008 R2, Windows Server operating systems supportedOS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2012 R2, Windows Server 2017, Windows Server 2012 R2, Windows Server 2019, Windows Server 2012 R2, Windows Server 2016, Windows Server 2012 R2, Windows Server 2019, Windows Server 2012 R2, Windows Server 2012 R	1 5	-		10.15.3 Catalina, Mac OS X 10.2
Maximum resolution *4800 x 1200 DPILeopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 MontereyPrint speed (black, normal quality, A4/US Letter) *1Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 MontereyBorderless printingServer operating systems supportedLeopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 MontereyInput & output capacity1Server operating systems supportedChromeOSTotal number of input trays *1Other operating systems supportedChromeOSPaper handling216 x 1200 mmOperating temperature (T-T)5 - 35 °CMaximum ISO A-series paper size *A4Operating relative humidity (H-H)10 - 90%Paper tray media types *Envelopes, High resolution paper,Weight & dimensions		6 ppm	Mac operating systems supported	OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big
Print speed (black, normal quality, A4/US Letter) *11 ppm10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2019, Windows Server 2019, Windows Server 2019, Windows Server 2019, Windows Server 2022Input & output capacity1Server operating systems supportedChromeOSTotal input capacity *100 sheetsOther operating systems supportedChromeOSPaper handling216 x 1200 mmOperating temperature (T-T)5 - 35 °CMaximum ISO A-series paper size *A4Operating relative humidity (H-H)10 - 90%Paper trav media types *Envelopes, High resolution paper, Weight & dimensionsWeight & dimensions	Maximum resolution *	4800 x 1200 DPI		
Borderless printing✓Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2019, Windows Serv		11 ppm		
Input & output CapacityServer operating systems supported2016, Windows Server 2019, Windows Server 2019, Windows Server 2022Total number of input trays *1Other operating systems supportedChromeOSTotal input capacity *100 sheetsOther operating systems supportedChromeOSPaper handling216 x 1200 mmOperating temperature (T-T)5 - 35 °CMaximum ISO A-series paper size *A4Operating relative humidity (H-H)10 - 90%Paper tray media types *Envelopes, High resolution paper,Weight & dimensions	Borderless printing	1		•
Total input capacity * 100 sheets Other operating systems supported ChromeOS Paper handling Operational conditions Maximum print size 216 x 1200 mm Operating temperature (T-T) 5 - 35 °C Maximum ISO A-series paper size * A4 Operating relative humidity (H-H) 10 - 90% Paper trav media types * Envelopes, High resolution paper, Weight & dimensions			Server operating systems supported	2016, Windows Server 2019,
Paper handling Operational conditions Maximum print size 216 x 1200 mm Operating temperature (T-T) 5 - 35 °C Maximum ISO A-series paper size* A4 Operating relative humidity (H-H) 10 - 90% Paper tray media types * Envelopes, High resolution paper, Weight & dimensions		-		
Maximum print size 216 x 1200 mm Operating temperature (T-T) 5 - 35 °C Maximum ISO A-series paper size * A4 Operating relative humidity (H-H) 10 - 90% Paper tray media types * Envelopes, High resolution paper, Weight & dimensions	Total input capacity *	100 sheets	Other operating systems supported	ChromeOS
Maximum ISO A-series paper size * A4 Operating relative humidity (H-H) 10 - 90% Paper tray media types * Envelopes, High resolution paper, Weight & dimensions	Paper handling		Operational conditions	
Paper tray media types * Envelopes, High resolution paper, Weight & dimensions	Maximum print size	216 x 1200 mm	Operating temperature (T-T)	5 - 35 °C
	Maximum ISO A-series paper size $*$	A4	Operating relative humidity (H-H)	10 - 90%
Photo paper, Plain paper	Paper tray media types *	Envelopes, High resolution paper, Photo paper, Plain paper	Weight & dimensions	
ISO A-series sizes (A0A9) * A4, A5, A6 Width 416 mm	ISO A-series sizes (A0A9) *		Width	416 mm
ISO B-series sizes (B0B9) B5 Depth 557 mm	ISO B-series sizes (B0B9)	B5	Depth	557 mm
Non-ISO print media sizes Executive, Legal, Letter Height 267 mm	Non-ISO print media sizes	Executive, Legal, Letter	Height	267 mm
Envelopes sizes C5, Com-10, DL Weight 4.6 kg	Envelopes sizes	C5, Com-10, DL	Weight	4.6 kg
Photo paper sizes 10x15,13x18,18x25,20x25	Photo paper sizes	10x15,13x18,18x25,20x25		
Paper tray media weight 64 - 105 g/m ²	Paper tray media weight	64 - 105 g/m²		

Ports & interfaces		Packaging data	
USB port *	✓	Cartridge(s) included	1
Network		Included cartridge capacity (black)	6000 pages
Ethernet LAN *	×	Included cartridge capacity (CMY)	7700 pages
Wi-Fi *	x	Included cartridge capacity (economy mode, black)	7600 pages
Wi-Fi Direct *	×	Included cartridge capacity (economy mode, CMY)	8100 pages
Design		Cables included	AC
Market positioning *	Home & office	Bundled software	IJ Printer Assistant Tool
Product colour *	Black	Package width	494 mm
Built-in display *	×	Package depth	499 mm
Country of origin	Vietnam	Package height	245 mm
Power		Package weight	8.7 kg
Power consumption (printing) *	14 W	Technical details	
Power consumption (off)	0.1 W	Warranty period	2 year(s)
Power consumption (standby)	0.6 W	Logistics data	
		Pallet gross length	100.3 cm
		Pallet gross width	99.1 cm
		Pallet gross height	98.5 cm
		Pallet gross weight	140.9 kg
		Products per pallet	16 pc(s)



4549292205916

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.