## ASUS TUF Gaming TUF-RTX4080-O16G-GAMING NVIDIA GEForce RTX 4080 16 GB GDDR6X

Brand : ASUS Product family: TUF Gaming Product code: 90YV0IB0-M0NA00

Product name: TUF-RTX4080-

O16G-GAMING

- NVIDIA Ada Lovelace Streaming Multiprocessors: Up to 2x performance and power efficiency
- 4th Generation Tensor Cores: Up to 4x performance with DLSS 3 vs. brute-force rendering
- 3rd Generation RT Cores: Up to 2X ray tracing performance
- OC mode: 2625 MHz (OC mode)/ 2595 MHz (Default mode)
- Axial-tech fans scaled up to deliver 23% more airflow
- Dual Ball Fan Bearings last up to twice as long as conventional designs
- Military-grade Capacitors rated for 20K hours at 105C make the GPU power rail more durable
- Metal Exoskeleton adds structural rigidity and vents to increase heat dissipation
- Auto-Extreme precision automated manufacturing for higher reliability
- GPU Tweak III software provides intuitive performance tweaking, thermal controls, and system monitoring

NVIDIA GeForce RTX 4080, 16GB GDDR6X, 2625 MHz , 9728 CUDA, 22.4 Gbps, (7680 x 4320) 2xHDMi 2.1, 3x DP 1.4f  $348.2 \times 150 \times 72.6$  mm, 1x16-pin, ARGB







Processor		Performance	
CUDA * CUDA cores Graphics processor family * Graphics processor * Processor frequency * Processor boost clock speed Processor frequency (OC mode) Maximum resolution * Parallel processing technology support *	√ 9728  NVIDIA  GeForce RTX 4080  2625 MHz  2595 MHz  2625 MHz  7680 x 4320 pixels  Not supported	TV tuner integrated * OpenGL version * HDCP HDCP version	<b>★</b> 4.6  ✓ 2.3
		Design	
		Cooling type * Cooling technology Number of fans Product colour	Active ASUS Axial-tech 3 fan(s) Black
Maximum displays per videocard	4	Power	
Memory Discrete graphics card memory * Graphics card memory type * Memory bus *	16 GB GDDR6X 256 bit	Minimum system power supply * Power consumption (typical) * Supplementary power connectors	750 W 75 W 1x 16-pin
		Weight & dimensions	
Data transfer rate	22.4 Gbit/s	Weight	1.97 kg
Ports & interfaces Interface type * HDMI ports quantity * HDMI version DisplayPorts quantity *	PCI Express 4.0 2 2.1a 3	Length Depth Height	348.2 mm 72.6 mm 150 mm
		Packaging data	
		Package width Package depth Package height	425.9 mm 266 mm 99 mm
		Package weight Package type	2.99 kg Box



4711081950721

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.