be quiet! System Power B10 virtalähdeyksikkö 550 W 20+4 pin ATX ATX musta

Tuotemerkki : be quiet! Tuotekoodi: BN327

Tuotteen nimi: System Power B10

be quiet! System Power B10. Kokonaisteho: 550 W, AC-syöttöjännite: 200 - 240 V, AC-syöttötaajuus: 50 Hz. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 55 cm, SATA-virtakaapelin pituus: 450,550,570,670,690 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Bronze. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 12 cm. Vaatimustenmukaisuustodistukset: CCC, CE, Yhdysvaltain telehallintovirasto (FCC), RoHS, WEEE, Sertifiointi: CB, TÜV, cRUus, cTUVus, RCM (Australia), BSMI, CU (Russia)





Power		Performance	
Total power *	550 W	Power supply unit (PSU) form factor	ATX
AC input voltage *	200 - 240 V	*	
AC input frequency	50 Hz	ATX version	2.52
Input current	4 A	EPS version	2.92
Power factor	0.95	Noise level	25.7 dB
Power Factor Correction (PFC) type	Active	Bearing technology	Sleeve
Combined power (+3.3V)	120 W	Mean time between failures (MTBF)	100000 h
Combined power (+12V)	550 W	Design	
Combined power (+5V)	120 W	Product colour	Black
Combined power (-12V)	3.6 W	Cooling type	Active
Combined power (+5Vsb)	15 W	Fan diameter	12 cm
Max output current (+3.3V)	20 A	Number of fans	1 fan(s)
Max output current (+12V)	45.83 A	Fan speed	0 - 1800 RPM
Max output current (+5V)	20 A	On/off switch	/
Max output current (-12V)	0.3 A	·	
Max output current (+5Vsb)	3 A	Operational conditions	
Hold time	17 ms	Operating temperature (T-T)	0 - 40 °C
Efficiency	89.1%	Storage temperature (T-T)	-20 - 70 °C
Power Good signal delay range	100 - 150 ms	Operating relative humidity (H-H)	0 - 90%
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Storage relative humidity (H-H)	0 - 95%
		Certificates	
Ports & interfaces	3	Compliance certificates	CCC, CE, Federal Communications Commission (FCC), RoHS, WEEE
Motherboard power connector *	20+4 pin ATX	Certification	CB, TÜV, cRUus, cTUVus, RCM (Australia), BSMI, CU (Russia)
Motherboard power cable length	55 cm		
Number of SATA power connectors	5	Weight & dimensions	
Number of PATA power connectors	1	Width	140 mm
SATA power cable length	450,550,570,670,690 mm	Depth	86 mm
Peripheral (Molex) power connectors (4-pin) *	1	Height	150 mm
Peripheral (Molex) power cable	790 mm	Weight	1.83 kg
length		Packaging data	
PCI Express power connectors (6+2 pin)	2	Manual	✓
PCI Express power cable length	65 cm	Manual languages	German, English, Spanish, French, Polish, Russian
CPU P4 connector (4-pin)	1	Package width	195 mm

Ports & interfaces		Packaging data		
CPU power connector (4+4 pin)	✓	Package depth	268 mm	
CPU power cable length	60 cm	Package height	97 mm	
ATX power connector (20+4 pin)	✓	Package weight	2.2 kg	
Cabling type	Non-Modular	Technical details		
Performance		Sustainability certificates	ENERGY STAR, ErP	
80 PLUS certification * Purpose *	80 PLUS Bronze PC	Logistics data		
		Warranty period	5 year(s)	
		Country of origin	Germany	
		Other features		
		Screws included	✓	
		Noise level (silent mode, <30%)	8.6 dB	
		Noise level (quiet mode, 50%)	9.4 dB	
		Noise level (full-load mode, 100%)	25.7 dB	



4260052189078

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.