



ATEN VM5404HA AV-matriisikytkin 35,7 W

Tuotemerkki : ATEN

Tuotekoodi: VM5404HA-AT-G

Tuotteen nimi : VM5404HA



ATEN VM5404HA. Tuotetyyppi: AV-matriisikytkin, Tiedonsiirtonopeus: 6,75 Gbit/s, Maksimaalinen pikselikello: 225 MHz. Kotelon väri: musta, Kotelon materiaali: Metalli, Telineen kapasiteetti: 1U. Tehonkulutus (maks.): 35,7 W, Virrankulutus: 34,9 W, AC-syöttöjännite: 100 - 240 V. Alkuperämaa: Taiwan, Tuotepakkauksen paino: 6,62 kg, Tuotepakkauksen pituus: 575 mm. Tuotteen leveys: 378,2 mm, Tuotteen syvyys: 432,4 mm, Tuotteen korkeus: 44 mm



Features		Power	
Product type *	AV matrix switcher	AC input voltage	100 - 240 V
Data transfer rate	6.75 Gbit/s	AC input frequency	50 - 60 Hz
Maximum pixel clock	225 MHz	Input current	1 A
Maximum resolution	1920 x 1080 pixels	Operational conditions	
HDCP	✓	Operating temperature (T-T)	0 - 40 °C
HDCP version	1.3	Storage temperature (T-T)	-20 - 60 °C
3D	✓	Operating relative humidity (H-H)	0 - 80%
Firmware upgradeable	✓	Heat dissipation	164 BTU/h
Extended display identification data (EDID)	✓	Heat dissipation (max)	167 BTU/h
Supported resolutions	720 x 480p 60 Hz (4:3) / (16:9) 640 x 480 @ 60/72/75 Hz 1280 x 720p 60 Hz (16:9) 800 x 600 @ 56/60/72/75 Hz 1920 x 1080i 60 Hz (16:9) 1024 x 768 @ 60/70/75 Hz 1920 x 1080p 60 Hz (16:9) 1280 x 800 @ 60 Hz 720 x 576p 50 Hz (4:3) / (16:9) 1280 x 1024 @ 60/75 Hz 1280x720p 50Hz (16:9) 1366 x 768 @ 60 Hz 1920 x 1080i 50 Hz (16:9) 1400 x 1050 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 1200 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz 1920 x 1200 @ 60 Hz (Reduced Blanking) 640 x 480p 60 Hz (4:3)	Logistics data	
		Country of origin	Taiwan
		Master (outer) case gross weight	6.62 kg
		Master (outer) case length	575 mm
		Master (outer) case width	506 mm
		Master (outer) case height	130 mm
		Master (outer) case net weight	5.45 kg
		Technical details	
		Package volume	37944.57 cm ³
		Master (outer) case volume	37944.57 cm ³
		Weight & dimensions	
		Width	378.2 mm
		Depth	432.4 mm
		Height	44 mm
		Weight	5.12 kg
		Package width	506 mm
		Package depth	575 mm
		Package height	130 mm
		Package weight	6.62 kg
		Packaging content	
		Cables included	AC
		Rack mount kit	✓
		Quick start guide	✓
Design			
Housing colour	Black		
Housing material	Metal		
Rack mounting	✓		
Rack capacity	1U		
Display			
Built-in display *	✗		
Ports & interfaces			
HDMI input ports quantity	4		
HDMI output ports quantity	5		
Ethernet LAN (RJ-45) ports	1		
RS-232 ports	1		

Ports & interfaces

Audio (L/R) out	1
-----------------	---

Power

Power consumption (max) *	35.7 W
---------------------------	--------

Power consumption (typical)	34.9 W
-----------------------------	--------



4710469342110

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date