



TP-Link Archer AX72 Pro langaton reititin Gigabitti Ethernet Kaksitaajuus (2,4 GHz/5 GHz) musta

Tuotemerkki : TP-Link

Tuoteperhe: Archer

Tuotekoodi: ARCHER AX72 PRO

Tuotteen nimi : Archer AX72 Pro



TP-Link Archer AX72 Pro. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), WLAN-tiedonsiirtonopeus (maks.): 4804 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, VPN-palvelin: OpenVPN, PPTP. Tietoturva-algoritmit: WPA, WPA2, WPA3, Palomuurisuojaus: SPI Firewall, NAT-toiminnallisuus: Port Forwarding Port Triggering DMZ UPnP Virtual Server. Tuotetyyppi: Pöytä-/tolppareititin, Tuotteen väri: musta

WAN connection		Security	
Ethernet WAN *	✓	Guest access	✓
DSL WAN *	✗	Stateful Packet Inspection (SPI)	✓
SIM card slot *	✗	DoS attack prevention	✓
3G/4G USB modem compatibility *	✗	Parental control	✓
WAN connection type	RJ-45	DMZ support	✓
Wireless LAN features		Network address translation (NAT)	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	NAT functionality	Port Forwarding Port Triggering DMZ UPnP Virtual Server
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Protocols	
WLAN data transfer rate (max) *	4804 Mbit/s	DHCP client	✓
Wi-Fi standards	Wi-Fi 6 (802.11ax)	DHCP server	✓
WLAN data transfer rate (first band)	4804 Mbit/s	Universal Plug and Play (UPnP)	✓
WLAN data transfer rate (second band)	574 Mbit/s	Design	
High power	✓	Product colour	Black
Network		Indication light	✓
Ethernet LAN *	✓	On/off switch	✓
Ethernet LAN interface type *	Gigabit Ethernet	Product type *	Desktop/pole router
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Certificates	
Port forwarding	✓	Certification	FCC, CE, RoHS
Port triggering	✓	Packaging content	
Dynamic DNS (DDNS)	✓	Cables included	LAN (RJ-45)
Static route	✓	AC adapter included	✓
Number of guest networks (2.4 GHz)	1	Antenna included	✓
Number of guest networks (5 GHz)	1	Quick installation guide	✓
USB sharing	✓	Antenna	
Support Samba (storage)	✓	Antenna design *	External
Built-in FTP server	✓	Antenna type	3x3
VPN server	OpenVPN, PPTP	Antennas quantity	6
Media server	✓	Features	
VPN support	OpenVPN, PPTP	Built-in processor	✓
Ports & interfaces		Processor frequency	1000 MHz
Ethernet LAN (RJ-45) ports *	5	Processor cores	2
USB port *	✓	Power	
		Power source type *	DC

Ports & interfaces		Operational conditions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Management features		Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 90%
Quality of Service (QoS) support	✓	Weight & dimensions	
Reset button	✓	Width	272.5 mm
WPS push button	✓	Depth	147.2 mm
Security		Height	49.2 mm
Security algorithms	WPA, WPA2, WPA3	Packaging data	
Firewall	✓	Number of products included	1 pc(s)
Firewall security	SPI Firewall		



4897098686775



4897098686782

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.