## Logitech H390 Kuulokkeet Langallinen Pääpanta Toimisto/puhelukeskus USB A-tyyppi Vaaleanpunainen


Tuotemerkki : Logitech Tuotekoodi: 981-001281

Tuotteen nimi: H390

Logitech H390. Tuotetyyppi: Kuulokkeet. Yhteysteknologia: Langallinen. Suositeltu käyttö: Toimisto/puhelukeskus. Kuulokkeiden taajuus: 20 - 20000 Hz. Johdon pituus: 1,9 m. Paino: 197 g.


Tuotteen väri: Vaaleanpunainen





Product type *       Headset       Windows operating systems supported       ✓         Wearing style *       Head-band       Mac operating systems supported       ✓         Recommended usage *       Office/Call center       Mac operating systems supported       ✓         Headset type       Binaural       Sustainability       ✓         Product colour *       Pink       CarbonNeutral, Forest Stewardship Council (FSC)         Operating keys       Mute       Sustainability certificates       Control (FSC)         Volume control       Rotary       Weight & dimensions       Image: Council (FSC)         Control type       Buttons, Rotary       Width       151 mm         Control type       Buttons, Rotary       Depth       68 mm         Cable length       1.9 m       Depth       68 mm         Plack interfaces       Packaging data       171 mm         VB connectivity technology *       Wired       Packaging data       72 mm         USB connectivity       ✓       Package depth       174 mm         USB connector       USB Type-A       Package depth       174 mm         USB connector       USB Type-A       Packaging content         Headphones       Supraaural       Packaging content         Head				
Wearing style *         Head-band         supported         V           Recommended usage *         Office/Call center         Mac operating systems supported         ✓           Headset type         Binaural         Sustainability         V           Product colour *         Pink         CarbonNeutral, Forest Stewardship Council (FSC)           Operating keys         Mute         Sustainability certificates         CarbonNeutral, Forest Stewardship Council (FSC)           Volume control         Rotary         Weight & dimensions         V           Control type         Buttons, Rotary         Width         151 mm           Cable length         1.9 m         Depth         68 mm           Plug and Play         Y         Peth         68 mm           Ports & interfaces         Wired         Packaging data         171 mm           USB connectivity technology *         Wired         Package width         72 mm           USB connector         USB Type-A         Package depth         174 mm           USB connector         USB Type-A         Package weight         260 g           Ear coupling *         Supraaural         Packaging content           Headphones         20 - 20000 Hz         Quantity         1           Headphone freque	Performance		System requirements	
Recommended usage • Necessary (Park Headset type)       Office/Call center (Park Headset type)       Mac operating systems supported (Park Headset type)       ✓ CarbonNeutral, Forest Stewardship Council (FSC)         Product colour • Operating keys       Mute       Sustainability certificates       CarbonNeutral, Forest Stewardship Council (FSC)         Volume control       Rotary       Weight & dimensions         Control unit type       In-line control unit       Width       151 mm         Control type       Buttons, Rotary       Poepth       68 mm         Cable length       1.9 m       Height       171 mm         Plug and Play       ✓       Poepth       68 mm         Plug and Play       Wired       Packaging data         Connectivity technology *       Wired       Package width       72 mm         USB connector       USB Type-A       Package depth       174 mm         USB connector       USB Type-A       Package weight       260 g         Ear coupling *       Supraaural       Packaging content         Headphones       Supraaural       Packaging content         Headphone frequency       20 - 20000 Hz       Quantity       1         Impedance       32 Ω       Master (outer) case width       308 mm         Microphone       Mast	• •			✓
Product colour *         Pink         Sustainability certificates         CarbonNeutral, Forest Stewardship Council (FSC)           Operating keys         Mute         Sustainability certificates         CarbonNeutral, Forest Stewardship Council (FSC)           Volume control         Rotary         Weight & dimensions           Control type         Buttons, Rotary         Width         151 mm           Cable length         1.9 m         Depth         68 mm           Plug and Play         ✓         Weight         171 mm           Weight         197 g         Ports & interfaces         Packaging data           Connectivity technology *         Wired         Package width         72 mm           USB connector         USB Type-A         Package depth         174 mm           USB connector         USB Type-A         Package weight         193 mm           Headphones         Supraaural         Package weight         260 g           Ear coupling *         Supraaural         Packaging content           Headphone frequency         20 - 20000 Hz         Quantity         1           Impedance         32 Ω         Logistics data           Driver unit         3 cm         Master (outer) case width         308 mm           Microphone	Recommended usage * Office/Call center Headset type Binaural Product colour * Pink Operating keys Mute Volume control Rotary	Office/Call center	Mac operating systems supported	✓
Operating keysMuteSustainability certificatesCarbonNeutral, Forest Stewardship Council (FSC)Volume controlRotaryWeight & dimensionsControl unit typeIn-line control unitWidth151 mmControl typeButtons, RotaryDepth66 mmCable length1.9 mHeight171 mmPlug and PlayYWeight197 gPorts & interfacesConnectivity technology*WiredPackaging data72 mmUSB connectivityYPackage width72 mmUSB connectorUSB Type-APackage depth174 mmUSB connectorUSB Type-APackage weight260 gEar coupling *SupraauralPackaging contentHeadphones20 - 20000 HzQuantity1Impedance32 ΩLogistics dataHeadphone sensitivity94 dBLogistics dataDriver unit3 cmMaster (outer) case width308 mmMicrophoneMaster (outer) case height31 mmMicrophone type *BoomMaster (outer) case gross weight5.5 kgMicrophone frequency100 - 10000 HzOther operating systems supportedChromeOSHistor guidenIters guidenChromeOS		Binaural	Sustainability	
Control unit typeIn-line control unitWeight & dimensionsControl typeButtons, RotaryWidth151 mmCable length1.9 mPepth68 mmPlug and PlayYHeight171 mmPorts & interfacesConnectivity technology*WiredPackaging dataUSB connectorUSB Type-APackage width72 mmUSB connectorUSB Type-APackage depth174 mmUSB connectorUSB Type-APackage weight260 gEar coupling*SupraauralPackage weight260 gHeadphones20 - 20000 HzQuantity1Impedance32 ΩLogistics dataHeadphone sensitivity94 dBLogistics dataDriver unit3 cmMaster (outer) case width308 mmMicrophoneMaster (outer) case height431 mmMicrophone type*BoomMaster (outer) case gross weight5.5 kgMicrophone sensitivity-17 dBOther featuresChromeOSFolding microphone-17 dBOther operating systems supportedChromeOS		Mute	Sustainability certificates	
Control typeButtons, RotaryWidth151 mmCable length1.9 mDepth68 mmPlug and Play✓Height171 mmPorts & interfacesConnectivity technology *WiredPackaging dataUSB connectivity✓Package width72 mmUSB connectorUSB Type-APackage depth174 mmUSB connectorUSB Type-APackage height193 mmHeadphonesSupraauralPackage weight260 gEar coupling *SupraauralPackaging contentHeadphone frequency20 - 20000 HzQuantity1Impedance32 ΩLogistics dataHeadphone sensitivity94 dBLogistics dataDriver unit3 cmMaster (outer) case width308 mmMicrophoneMaster (outer) case height431 mmMicrophone type *BoomMaster (outer) case height431 mmMicrophone frequency100 - 10000 HzMaster (outer) case gross weight5.5 kgMicrophone sensitivity-17 dBOther featuresChromeOSHeacquirideChromeOS		•	Weight & dimensions	
Cable length1.9 mDepth Height68 mmPlug and PlayYHeight Weight171 mmPorts & interfacesPackaging dataConnectivity technology *WiredPackage width72 mmUSB connectivityYPackage depth174 mmUSB connectorUSB Type-APackage height193 mmHeadphonesPackage weight260 gEar coupling *SupraauralPackaging contentHeadphone frequency20 - 20000 HzQuantity1Impedance32 ΩLogistics dataHeadphone sensitivity94 dBLogistics dataDriver unit3 cmMaster (outer) case width308 mmMicrophoneMaster (outer) case height379 mmMicrophone type *BoomMaster (outer) case height431 mmMicrophone frequency100 - 10000 HzMaster (outer) case gross weight5.5 kgMicrophone sensitivity-17 dBOther featuresFolding microphoneVOther operating systems supportedChromeOS	• • • • • • • • • • • • • • • • • • • •		Width	151 mm
Plug and Play       Weight       197 g         Ports & interfaces       Packaging data         Connectivity technology *       Wired       Package width       72 mm         USB connector       USB Type-A       Package depth       174 mm         USB connector       USB Type-A       Package height       193 mm         Headphones       Supraaural       Packaging content         Headphone frequency       20 - 20000 Hz       Quantity       1         Impedance       32 Ω       Logistics data         Headphone sensitivity       94 dB       Logistics data         Driver unit       3 cm       Master (outer) case width       308 mm         Microphone       Master (outer) case length       379 mm         Microphone type *       Boom       Master (outer) case gross weight       5.5 kg         Microphone sensitivity       -17 dB       Other features       ChromeOS         Folding microphone       ✓       Other operating systems supported       ChromeOS	Cable length	•	Depth	
Ports & interfaces         Connectivity technology *       Wired       Packaging data         USB connectivity       ✓       Package width       72 mm         USB connector       USB Type-A       Package depth       174 mm         USB connector       USB Type-A       Package height       193 mm         Headphones       Supraaural       Packaging content         Headphone frequency       20 - 20000 Hz       Quantity       1         Impedance       32 Ω       Logistics data         Headphone sensitivity       94 dB       Logistics data         Driver unit       3 cm       Master (outer) case width       308 mm         Microphone       Master (outer) case length       379 mm         Master (outer) case height       431 mm         Microphone frequency       100 - 10000 Hz         Microphone sensitivity       -17 dB       Other features         Folding microphone       ✓       Other operating systems supported       ChromeOS	Plug and Play	✓	· ·	
Connectivity technology * Wired Package width 72 mm USB connector USB Type-A Package depth 174 mm USB connector Package height 193 mm Headphones Package weight 260 g  Ear coupling * Supraaural Packaging content Headphone frequency 20 - 20000 Hz Quantity 1 Impedance 32 Ω Headphone sensitivity 94 dB Driver unit 3 cm Master (outer) case width 308 mm Microphone type * Boom Microphone type * Boom Microphone frequency 100 - 10000 Hz Microphone frequency 100 - 10000 Hz Microphone sensitivity -17 dB Folding microphone ✓ Other operating systems supported ChromeOS    Connectivity Package weight Package weight 260 g   Connectivity Package weig	Ports & interfaces		Weight	197 g
USB connectivity  V Package width 72 mm  Package depth 174 mm  USB connector USB Type-A Package height 193 mm  Headphones  Ear coupling * Supraaural Packaging content  Headphone frequency 20 - 20000 Hz Impedance 32 Ω  Headphone sensitivity 94 dB  Driver unit 3 cm  Microphone  Microphone  Microphone type * Boom Microphone frequency 100 - 10000 Hz  Microphone frequency 100 - 10000 Hz  Microphone sensitivity -17 dB  Other features  Other operating systems supported ChromeOS		Mirad	Packaging data	
Headphones  Ear coupling * Supraaural Package weight 260 g  Ear coupling * Supraaural Packaging content  Headphone frequency 20 - 20000 Hz Quantity 1  Impedance 32 Ω  Headphone sensitivity 94 dB  Driver unit 3 cm Master (outer) case width 308 mm  Microphone  Microphone type * Boom Microphone type * Boom Microphone frequency 100 - 10000 Hz  Microphone sensitivity -17 dB  Folding microphone  ✓ Other operating systems supported ChromeOS	USB connectivity	<b>✓</b>	•	
Ear coupling * Supraaural Packaging content  Headphone frequency 20 - 20000 Hz Quantity 1  Impedance 32 Ω  Headphone sensitivity 94 dB  Driver unit 3 cm Master (outer) case width 308 mm  Microphone  Microphone type * Boom Microphone frequency 100 - 10000 Hz  Microphone sensitivity -17 dB  Folding microphone  Supraaural Packaging content  Quantity 1  Logistics data  Master (outer) case width 308 mm  Master (outer) case length 379 mm  Master (outer) case height 431 mm  Master (outer) case gross weight 5.5 kg  Other features  Other operating systems supported ChromeOS		USB Type-A		
Headphone frequency Impedance 32 Ω Headphone sensitivity 94 dB Driver unit 3 cm  Master (outer) case width Master (outer) case length Master (outer) case height Master (outer) case height Master (outer) case gross weight  Master (outer) case	Headphones		Package weight	260 g
Impedance 32 Ω Headphone sensitivity 94 dB Driver unit 3 cm  Microphone  Microphone  Microphone type * Microphone frequency Microphone frequency Microphone sensitivity  Microphone sensitivity  Microphone sensitivity  Microphone frequency  Microphone frequency  Microphone sensitivity  Microphone sensitivity  Microphone sensitivity  Microphone frequency  Microphone sensitivity  Master (outer) case width  Master (outer) case length  Master (outer) case gross weight  Master (outer) ca	Ear coupling *	•	Packaging content	
Headphone sensitivity  94 dB  Driver unit  3 cm  Master (outer) case width  308 mm  Master (outer) case length  379 mm  Master (outer) case height  431 mm  Microphone frequency  Microphone frequency  100 - 10000 Hz  Microphone sensitivity  17 dB  Other features  Other operating systems supported  ChromeOS			Quantity	1
Driver unit 3 cm Master (outer) case width 308 mm  Microphone  Microphone * Boom Master (outer) case length 431 mm  Microphone frequency 100 - 10000 Hz  Microphone sensitivity -17 dB  Tolding microphone ✓ Other operating systems supported ChromeOS	•		Logistics data	
Microphone         Microphone type *       Boom       Master (outer) case height       431 mm         Microphone frequency       100 - 10000 Hz       Master (outer) case gross weight       5.5 kg         Microphone sensitivity       -17 dB       Other features         Folding microphone       ✓       Other operating systems supported       ChromeOS	Driver unit		Master (outer) case width	308 mm
Microphone type * Boom Master (outer) case height 431 mm  Microphone frequency 100 - 10000 Hz  Microphone sensitivity -17 dB  Folding microphone ✓ Other operating systems supported ChromeOS	Microphone		Master (outer) case length	379 mm
Microphone frequency Microphone sensitivity  Folding microphone  100 - 10000 Hz  -17 dB  Other features  Other operating systems supported  ChromeOS	•	Room		
Microphone sensitivity -17 dB  Other features  Other operating systems supported ChromeOS  User guide	, ,,		Master (outer) case gross weight	5.5 kg
Her guide	Microphone sensitivity		Other features	
llear quida	Folding microphone	✓	Other operating systems supported	ChromeOS
		✓	User guide	<b>✓</b>

Microphone		Other features	
Microphone mute	✓	Packaging content	USB Computer Headset User documentation



5099206107298

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.