


BenQ EH620 data projector Standard throw projector 3400 ANSI lumens DLP 1080p (1920x1080) 3D White

Brand : BenQ Product code: 9H.JPT77.34E

Product name: EH620







Projector		Ports & interfaces	
Smart projector *	×	DVI port *	×
Projector brightness * 3400 ANSI lumens Projection technology * DLP Projector native resolution * 1080p (1920x1080) Contrast ratio (typical) * 15000:1 Native aspect ratio * 16:9 Number of colours Horizontal scan range 15 - 102 kHz		Network	
	1080p (1920x1080) 15000:1 16:9 1.07 billion colours	Smart TV *	×
		Ethernet LAN *	×
		Wi-Fi *	✓
		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Vertical scan range	23 - 120 Hz	Bluetooth	✓
Keystone correction, vertical	-40 - 40°	Bluetooth version	4.2
Light source		Storage	
Light source type * Service life of light source *	Lamp 4000 h	Card reader integrated *	×
		Features	
Service life of light source (economic mode)	10000 h	Interactive *	×
Lens system		Noise level (economic mode)	30 dB
Focus *	Manual	HDCP	✓
Focal length range	12 - 15.6 mm	Noise level *	32 dB
Aperture range (F-F)	1.84 - 2.47	Multimedia	
Offset	105%	Built-in speaker(s) *	✓
Video		RMS rated power	10 W
Full HD *	✓	Design	
3D *	✓	Market positioning *	Business
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Product type * Product colour *	Standard throw projector White
Ports & interfaces		Display	
HDMI version	1.4a	Built-in display *	×

Ports & interfaces		Power	
USB 2.0 ports quantity	2	Power source *	AC
Mini-USB 2.0 ports quantity	1	Power consumption (typical) *	350 W
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Power consumption (standby) *	0.5 W
Headphone outputs	1 ✓ RS-232	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Microphone in		Operational conditions	
Serial interface type *		•	0.40.80
PC in (D-Sub)	✓	Operating temperature (T-T)	0 - 40 °C
VGA (D-Sub) ports quantity *	2	Weight & dimensions	
HDMI ports quantity *	2	Width	380 mm
		Depth	263 mm
		Height	127 mm
		Weight *	4.2 kg
		Packaging content	
		Remote control included *	1



4718755087998

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.