



## EZVIZ CS-C8CA01F2WFL1 turvakamera Pallomainen IP-turvakamera Ulkona 1920 x 1080 pikseliä Seinä

**Tuotemerkki :** EZVIZ

**Tuotekoodi:** CS-C8CA01F2WFL1

**Tuotteen nimi :** CS-C8CA01F2WFL1

EZVIZ CS-C8CA01F2WFL1. Malli: IP-turvakamera, Tuettu sijoitus: Ulkona, Yhteysteknologia: Langallinen & langaton. Kiinnitystyyppi: Seinä, Tuotteen väri: musta, Valkoinen, Kotelo: Pallomainen. Objektiivin kuvakulma, vaakasuora: 87°, Objektiivin kuvakulma, kulmittain: 105°, Kallistuskulma: 0 - 95°. Anturin tyyppi: CMOS, Optisen sensorin koko: 25,4 / 2,7 mm (1 / 2.7"). Night vision-etäisyys: 30 m

Performance		Network	
Type *	IP security camera	Number of users	1 user(s)
Placement supported *	Outdoor	Streaming method	Multicast
Connectivity technology *	Wired & Wireless	<b>Storage</b>	
Wide Dynamic Range (WDR)	✓	Card reader integrated	✓
Day/night mode	✓	Compatible memory cards	MicroSD (TransFlash)
Infrared (IR) cut-off filter	✓	Maximum memory card size	256 GB
Antenna type	External	<b>Ports &amp; interfaces</b>	
Operating frequency	2400 - 2483 MHz	Ethernet LAN (RJ-45) ports	1
Certification	UL / FCC / CE / WEEE / REACH	<b>Security</b>	
<b>Design</b>		Password protection	✓
Form factor *	Spherical	Video motion detection	✓
Mounting type *	Wall	Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Product colour *	Black, White	Motion sensor	✓
Protection features	Dust resistant, Snow resistant, Water resistant	Anti-flicker	✓
International Protection (IP) code	IP65	Heartbeat	✓
<b>Camera</b>		Digital watermark	✓
Camera pan control	✓	<b>Power</b>	
Camera tilt control	✓	Power source type *	DC
Lens viewing angle, horizontal	87°	Power consumption (typical)	6 W
Lens viewing angle, diagonal	105°	DC output voltage	12
Tilt angle range	0 - 95°	DC output current	1 A
Pan range	0 - 352°	<b>Operational conditions</b>	
<b>Image sensor</b>		Operating temperature (T-T)	-30 - 60 °C
Number of sensors	1	Operating relative humidity (H-H)	0 - 95%
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	<b>Weight &amp; dimensions</b>	
Progressive scan	✓	Width	158 mm
Sensor type *	CMOS	Depth	157 mm
<b>Lens system</b>		Height	149 mm
Maximum aperture number	1.6	Weight	510 g
<b>Night vision</b>		<b>Features</b>	
Night vision *	✓	Intrastat code	8525801100
Night vision distance	30 m	<b>Packaging data</b>	
<b>Video</b>		Package width	197 mm
Maximum resolution *	1920 x 1080 pixels	Package depth	185 mm
Video compression formats	H.264, H.265	Package height	205 mm
Supported video modes	1080p	Package weight	885 g
Frame rate	30 fps	<b>Sustainability</b>	
Video streaming	✓	Compliance certificates	RoHS
Noise reduction	✓		
Noise reduction technology	3D noise reduction		

Video		Packaging content	
Bit rate	2 Mbps	Number of cameras *	1
Back Light Compensation (BLC)	✓	Screws included	✓
Digital Wide Dynamic Range (DWDR)	✓	Manual	✓
Audio		Technical details	
Built-in microphone	✓	Lens mount interface	M12
Audio detection	✓	Logistics data	
Network		Harmonized System (HS) code	85258900
Ethernet LAN *	✓	Master (outer) case width	445 mm
Ethernet interface type	Fast Ethernet	Master (outer) case length	212 mm
Wi-Fi *	✓	Master (outer) case height	335 mm
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Master (outer) case gross weight	6.48 kg
Wi-Fi data rate (max)	72 Mbit/s	Products per master (outer) case	12 pc(s)
		Master (outer) case GTIN (EAN/UPC)	0212402000014



5060563451522

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-DEC-2024. Prints or copies of Information are only valid on the printed Publication date