

DELL WD19S-180W (without AC adaptor) Wired USB 3.2 Gen 2 (3.1 Gen 2) Type-C Black

Brand : DELL Product code: 4JXDM

Product name: WD19S-180W (without AC adaptor)

USB 3.1 Gen2 Type-C, 3 x USB A 3.1, 2 x DisplayPort, HDMI, RJ-45, 180W, (without AC adaptor)

DELL WD19S-180W (without AC adaptor) Wired USB 3.2 Gen 2 (3.1 Gen 2) Type-C Black:

Boost your PC's power on the world's most powerful and first modular dock with a future-ready design. WD19S 180W is a simplified version of WD19 180W without 3.5mm ports. DELL WD19S-180W (without AC adaptor). Connectivity technology: Wired, Host interface: USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Maximum digital resolution: 5120 x 2880 pixels. Power source type: DC, AC input voltage: 120 - 230 V, AC input frequency: 50 - 60 Hz. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10...





Ports & interfaces		Power	
Connectivity technology *	Wired	Power supply	180 W
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Power cable length	1 m
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Software	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows operating systems supported Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64	Education, Windows 10 Education
HDMI ports quantity *	1		
HDMI version	2.0		
DisplayPorts quantity	2		
DisplayPort version	1.4		
Microphone in *	×		x64, Windows 10 x64
DC-in jack	✓	Linux operating systems supported	✓
Network		Operational conditions	
Ethernet LAN *	✓	Operating temperature (T-T)	0 - 35 °C
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-20 - 60 °C
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating relative humidity (H-H)	10 - 80%
Performance		Storage relative humidity (H-H)	5 - 90%
Card reader integrated *	×	Weight & dimensions	
Maximum digital resolution	5120 x 2880 pixels	Width	205 mm
VESA mounting	✓ × 2000 pixels	Depth	90 mm
Product colour *	Black	Height	29 mm
On/off switch	J →	Weight	585 g
	·	Packaging data	
LED indicators	•	Quantity per pack	1 pc(s)
Power		Package width	300 mm
Power source type	DC	Package depth	290 mm
AC input voltage AC input frequency	120 - 230 V 50 - 60 Hz	Package height	62 mm

Packaging content				
AC adapter included	×			
Logistics data				
Harmonized System (HS) code	84733020			



5704174558477

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.