



MSI PRO B760-P WIFI DDR4 emolevy LGA 1700 ATX

Tuotemerkki : MSI

Tuotekoodi: PRO B760-P WIFI DDR4

Tuotteen nimi : PRO B760-P WIFI DDR4

MSI PRO B760-P WIFI DDR4. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Pentium® Gold. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: ATX, Emolevyn piirisarjan perhe: Intel



Processor		Internal I/O	
Processor manufacturer *	Intel	TPM connector	✓
Processor socket *	LGA 1700	RGB LED pin header	✓
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold	Rear panel I/O ports	
Maximum number of SMP processors	1	USB 2.0 ports quantity *	2
Supported processor sockets	LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Memory		USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Supported memory types *	DDR4-SDRAM	Ethernet LAN (RJ-45) ports *	1
Number of memory slots *	4	HDMI ports quantity *	1
Memory slots type	DIMM	DisplayPorts quantity	1
Memory channels	Dual-channel	Network	
ECC compatibility	Non-ECC	Ethernet LAN	✓
Supported memory clock speeds	2133,2400,2666,2933,3200,3333,3400,3466,3600,3733,3800,4000,4200,4266,4400,4600,4800,5000,5066,5200,5333 MHz	Ethernet interface type	2.5 Gigabit Ethernet
Supported memory clock speed (max)	5333 MHz	Wi-Fi *	✓
Maximum internal memory *	128 GB	Bluetooth	✓
Storage controllers		Features	
Supported storage drive interfaces *	M.2, SATA III	Audio chip	Realtek ALC897
RAID support	✓	Audio output channels *	7.1 channels
RAID levels	0, 1, 5, 10	Product colour	Black
Graphics		Component for *	PC
On-board graphics card	✗	Motherboard form factor *	ATX
Internal I/O		Motherboard chipset family *	Intel
USB 2.0 connectors *	4	Power source type	ATX
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	4	Windows operating systems supported	Windows 10, Windows 11
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Expansion slots	
Number of SATA III connectors *	4	PCI Express x16 slots	5
Front panel audio connector	✓	Number of M.2 (M) slots	2
Front panel connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	256 Mbit

BIOS

System Management BIOS (SMBIOS) version	3.5
---	-----

Weight & dimensions

Width	243.8 mm
Depth	304.8 mm



4711377028363

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date