MSI MPG CORELIQUID K360 V2 Tietokoneen jäähdytysjärjestelmä Tietokonekotelo Jäähdytyssetti 12 cm musta

Tuotemerkki : MSI Tuotekoodi: MPG CORELIQUID K360 V2

Tuotteen nimi: MPG CORELIQUID K360 V2

MSI MPG CORELIQUID K360 V2. Malli: Jäähdytyssetti, Tuulettimen halkaisija: 12 cm, Pyörimisnopeus (min.): 0 RPM, Pyörimisnopeus (maks.): 2500 RPM, Melutaso (korkea nopeus): 39,9 dB, Suurin ilmavirtaus: 77,4 cfm, Suurin ilmanpaine: 4,29 mmH2O, Laakerityyppi: Kuulalaakeri. Tuotteen väri: musta





Performance		Performance	
Suitable location *	Computer case	Fan speed (max)	2500 RPM
Type *	Cooling set	Design	
Fan diameter	12 cm	Product colour *	Black
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H2), LGA 1156 (Socket H3), LGA 1200 (Socket H5), LGA 1366 (Socket B), LGA 1700, LGA 2011 (Socket R), LGA 2011-v3 (Socket R), LGA 2066, Socket AM2, Socket AM2+, Socket AM3, Socket AM3+, Socket AM4, Socket FM1, Socket FM2, Socket FM2+, Socket SP3, Socket TR4,	Material	Mesh, Rubber
		Radiator material	Aluminum
		Number of fans	3 fan(s)
		Number of fan blades	8
		Illumination LED	✓
		Illumination colour	Blue, Pink
		Display type	LCD
Detational around (min)	Socket sTRX4 0 RPM	Power	
Rotational speed (min) Rotational speed (max)	2500 RPM	Fan power consumption	3.36 W
Noise level (high speed)	39.9 dB	Pump power consumption	4 W
Maximum airflow	77.4 cfm	Rated current	0.28 A
Maximum air pressure	4.29 mmH2O	Weight & dimensions	
Fan diameter 2	12 cm	Radiator width	39.4 cm
Fan 2 rotational speed (min)	0 RPM	Radiator depth	2.7 cm
Fan 2 rotational speed (max)	2500 RPM	Radiator height	12 cm
Fan 2 noise level (high speed)	39.9 dB	Pump width	9.47 cm
Fan 2 maximum airflow	77.4 cfm	Pump depth	2.7 cm
Fan 2 maximum air pressure	4.29 mmH2O	Pump height	12 cm
Pulse-width modulation (PWM)	✓	Fan 2 dimensions (W x D x H)	120 x 120 x 25 mm
support Bearing type	Ball bearing	Cable length	5.5 m
Fan noise level (max)	39.9 dB	Other features	
Pump noise level	20 dB	Country of origin	China
Fan bearing technology	Ball bearing	Logistics data	
Pump connector	4-pin	Harmonized System (HS) code	84733080
Pump motor speed	2800 RPM		223000
Pump motor speed (min)	2500 RPM		
Pump motor speed (max)	3100 RPM		
Fan speed (min)	0 RPM		



4719072862879

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.