## MSI MAG B760M MORTAR MAX WIFI emolevy LGA 1700 mikro ATX

Tuotemerkki : MSI Tuotekoodi: MAG B760M MORTAR MAX WIFI

Tuotteen nimi: MAG B760M MORTAR MAX WIFI

MSI MAG B760M MORTAR MAX WIFI. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Pentium® Gold. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 192 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, Wi-Fi-standardi: Wi-Fi 6E (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E.... Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: Intel







Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 2.0 ports quantity *	4
Processor socket *	LGA 1700	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	3
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold	USB 3.2 Gen 2x2 Type-C ports	1
Maximum number of SMP	1	quantity Ethernet LAN (RJ-45) ports *	1
processors Supported processor sockets	LGA 1700	HDMI ports quantity *	1
	20/17/00	HDMI version	2.1
Memory		DisplayPorts quantity	1
Supported memory types * Number of memory slots *	DDR5-SDRAM 4	DisplayPort version	1.4
Memory slots type	DIMM	Network	
Memory channels	Dual-channel	Ethernet LAN	<b>✓</b>
ECC compatibility	Non-ECC	Ethernet interface type	2.5 Gigabit Ethernet
Supported memory clock speeds	7000, 6800, 6600, 6400, 6200, 6000, 5800, 5600, 5400, 5200, 5000, 4800 MHz	Wi-Fi *	✓
		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory clock speed (max)	7000 MHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Maximum internal memory *	192 GB	Bluetooth	✓ (502:11dX), W11 02 (502:11dX)
Storage controllers		Bluetooth version	5.3
Supported storage drive interfaces *	M.2, SATA III	Features	
RAID support	✓		Dooltok ALCOO7
RAID levels	0, 1, 5, 10	Audio chip  Audio output channels *	Realtek ALC897 7.1 channels
Internal I/O		Component for *	PC
USB 2.0 connectors *	4	Motherboard form factor *	micro ATX
USB 3.2 Gen 1 (3.1 Gen 1)	2	Motherboard chipset family *	Intel
connectors *	2	Power source type	ATX
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Windows operating systems supported	Windows 10, Windows 11
Number of SATA III connectors *	4	Expansion slots	
Front panel audio connector	<b>✓</b>	•	
Front panel connector	✓	PCI Express x1 (Gen 3.x) slots	2
ATX Power connector (24-pin)	<b>✓</b>		

Internal I/O		BIOS	
CPU fan connector	✓	BIOS type *	UEFI AMI
TPM connector	<b>✓</b>	BIOS memory size	256 Mbit
RGB LED pin header	<b>✓</b>	System Management BIOS (SMBIOS) version	3.5
		Weight & dimensions	
		Width	243.8 mm
		Depth	243.8 mm

