Tuotemerkki: MSI

MSI MAG B760 TOMAHAWK WIFI DDR4 emolevy Intel B760 LGA 1700 ATX

Tuotekoodi: MAG B760 TOMAHAWK WIFI

DDR4

Tuotteen nimi: MAG B760 TOMAHAWK WIFI DDR4

MSI MAG B760 TOMAHAWK WIFI DDR4. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Pentium® Gold. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, Wi-Fi-standardi: Wi-Fi 6E (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E.... Komponentti (tuotteelle): PC, Emolevyn muototekijä: ATX, Emolevyn piirisarjan perhe: Intel







Processor socket * LGA 1700 Intel® Celeron®, Intel® Pentium® Gold Intel® Celeron®, Intel® Pentium® Gold USB 3.2 Gen 2x Type-C ports quantity * USB 3.2 Gen 2x Type-C ports quantity * USB 3.2 Gen 2x Type-C ports quantity * I 1 Intel® Celeron®, Intel® Pentium® Gold USB 3.2 Gen 2x Type-C ports quantity * I 1 Intel® Celeron®, Intel® Pentium® quantity * I 1 Intel® Celeron®, Intel® Cele	Processor			Rear panel I/O ports	
Compatible processor series * Gold USB 3.2 Gen 2x2 Type-C ports quantity * 1	Processor manufa	cturer *	Intel	USB 2.0 ports quantity *	4
Maximum number of SMP of SMP or Servers of SMP or Supported processors servers and servers of SMP or SMP o				` , , , , , , , , , , , , , , , , , , ,	4
Ethernet LAN (RJ-45) ports * 1 Supported processor sockets			•	, , , , , , , , , , , , , , , , , , ,	1
Notine of minoring year of year of minoring year of year of minoring year of y			1		1
DisplayPorts quantity DisplayPorts quantity DisplayPorts quantity DisplayPort version DisplayPort ve	Supported processor sockets		LGA 1700	HDMI ports quantity *	1
Number of memory sides * 4				HDMI version	2.1
DisplayPort version 1.4 DisplayPort version 1.4	Number of memory slots *	4		DisplayPorts quantity	1
Supported Immerry Octo Speed March Speed	Memory channels	Dual-channel		DisplayPort version	1.4
Storage controllers Storage controllers Ethernet LAN		2133,2400,2666,2933,3200,3333	3,3400,3466,3600,3733,3800,4000,4400,4600,4800,5000,5066,5200,533	³ Network	
Storage controllersEthernet interface type2.5 Gigabit EthernetSupported storage drive interfaces* M.2, SATA IIIWi-Fi *✓RAID support✓Top Wi-Fi standardWi-Fi 6E (802.11ax)RAID levels0, 1, 5, 10Wi-Fi standards802.11a, 802.11b, 802.11a, Wi-Fi 6E (802.11ax)GraphicsBluetooth✓Parallel processing technology support*Not supportedBluetooth✓On-board graphics cardXFeaturesInternal I/OMotherboard chipset*Intel B760USB 2.0 connectors*4Audio chipRealtek ALC897USB 3.2 Gen 1 (3.1 Gen 1) connectors*2Audio output channels* Product colour7.1 channelsUSB 3.2 Gen 2 (3.1 Gen 2) connectors*1Component for * Motherboard form factor * Motherboard chipset family*PCUSB 3.2 Gen 2 (3.1 Gen 2) connectors*4Motherboard chipset family * Product colourIntelS/PDIF out connector✓Power source typeATXFront panel audio connector✓Windows operating systems supportedWindows 10, Windows 11	(max)			Ethernet LAN	✓
Supported storage drive interfaces * M.2, SATA III RAID support RAID levels O, 1, 5, 10 Wi-Fi standard Wi-Fi standard Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi (802.11ax), Wi				Ethernet interface type	2.5 Gigabit Ethernet
RAID support RAID levels 0, 1, 5, 10 Wi-Fi standard Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11a, Wi-Fi 6E (802.11ax) ROZ.11a, 802.11b, 802.11ax) Wi-Fi standards 6 (802.11ax), Wi-Fi 6E (802.11ax) Features Internal I/O USB 2.0 connectors* USB 3.2 Gen 1 (3.1 Gen 1) connectors* USB 3.2 Gen 2 (3.1 Gen 2) connectors* VSPDIF out connectors* VARIABLE ALCA STATA Number of SATA III connectors 4 Motherboard chipset family Component for * Motherboard chipset family Notherboard form factor * Motherboard chipset family Notherboard form factor * Motherboard chipset family Number of SATA III connector VARIABLE ALCA STATA Windows operating systems supported Windows operating systems supported Windows operating systems supported				Wi-Fi *	√
RAID support RAID levels O, 1, 5, 10 Wi-Fi standards Bluetooth Features Internal I/O USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors * Number of SATA III connectors * Number of SATA III connector * Virial support * Virial support * Virial support * Wi-Fi standards Bluetooth ✓ Features Intel B760 Realtek ALC897 7.1 channels 7.1 channels Product colour Black USB 3.2 Gen 2 (3.1 Gen 1) connectors * Number of SATA III connectors * ATX Number of SATA III connectors * Virial supported Windows operating systems supported Windows 10, Windows 11			* M.2, SATA III	Top Wi-Fi standard	Wi-Fi 6F (802 11ax)
Graphics Parallel processing technology support * Not supported Bluetooth Bluetooth version 5.3 On-board graphics card X Features Internal I/O USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors * USB 3.2 Gen 2 (3.1 Gen 2) Connectors * Notherboard chipset family * Motherboard special systems supported Windows 10, Windows 11 Front panel connector ✓ Windows 10, Windows 11			•	Top Will Standard	802.11a, 802.11b, 802.11g, Wi-Fi 4
Parallel processing technology support * Not supported Bluetooth Bluetooth version 5.3 On-board graphics card X Features Internal I/O USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors * USB 3.2 Gen 2 (3.1 Gen 2) Connectors * Number of SATA III connectors * Number of SATA III connectors * Features Bluetooth Audio othyet service Audio output channels * Product colour Black Component for * Motherboard form factor * Motherboard form factor * Motherboard chipset family * Intel S/PDIF out connector Power source type ATX Front panel audio connector Windows operating systems supported Windows 10, Windows 11			0, 1, 5, 10	Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi
Parallel processing technology support * On-board graphics card Internal I/O USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors * Number of SATA III connectors * Vimber of SATA III connector Features Bluetooth version Motherboard chipset * Audio chip	Graphics			Divistantia	
On-board graphics card Internal I/O USB 2.0 connectors *			Not supported		
Internal I/O USB 2.0 connectors * 4 USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors * Number of SATA III connectors * Front panel connector Intel B760 Audio chip Realtek ALC897 Audio output channels * 7.1 channels Product colour Black Component for * Motherboard form factor * Motherboard form factor * ATX Motherboard chipset family * Intel Windows operating systems supported Windows 10, Windows 11					J.J
USB 2.0 connectors * 4 USB 3.2 Gen 1 (3.1 Gen 1) connectors * 2 USB 3.2 Gen 2 (3.1 Gen 2) connectors * 1 Number of SATA III connectors * 4 S/PDIF out connector Front panel audio connector Y Audio chip Realtek ALC897 7.1 channels 7.1 channels Component for * PC Component for * Motherboard form factor * Motherboard chipset family * Intel Front panel audio connector Windows operating systems supported Windows 10, Windows 11	On-board graphics	s card	×	Features	
USB 3.2 Gen 1 (3.1 Gen 1) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors * USB 3.2 Gen 2 (3.1 Gen 2) connectors * I Component for * Motherboard form factor * Motherboard chipset family * Intel S/PDIF out connector Front panel audio connector Windows operating systems supported Audio output channels * 7.1 channels PC Component for * Motherboard chipset family * Intel Motherboard chipset family * Windows operating systems supported Windows 10, Windows 11	Internal I/O			Motherboard chipset *	Intel B760
Connectors * 2 Product colour Black USB 3.2 Gen 2 (3.1 Gen 2) 1 Component for * PC connectors * ATX Number of SATA III connectors * 4 Motherboard chipset family * Intel S/PDIF out connector	USB 3.2 Gen 1 (3.1 Gen 1)		4	Audio chip	Realtek ALC897
USB 3.2 Gen 2 (3.1 Gen 2) connectors * Number of SATA III connectors * S/PDIF out connector Front panel audio connector Front panel connector Component for * Motherboard form factor * Motherboard chipset family * Intel ATX Motherboard chipset family * Windows operating systems supported Windows 10, Windows 11			2	Audio output channels *	7.1 channels
connectors *				Product colour	Black
Number of SATA III connectors * 4	·	1 Gen 2)	1	•	
S/PDIF out connector Power source type ATX Front panel audio connector Windows operating systems supported Windows 10, Windows 11			4		
Front panel audio connector Front panel connector Windows operating systems supported Windows 10, Windows 11				, ,	
Front panel connector supported windows 10, windows 11	.,		•	Windows operating systems	AIX
rront panel connector	•		•		Windows 10, Windows 11
ATX Power connector (24-pin) ✓	Front panel connector		55PP 5. 204		
	ATX Power conne	ctor (24-pin)	/		

Internal I/O		Expansion slots	
CPU fan connector TPM connector RGB LED pin header	* *	PCI Express x1 slots PCI Express x16 slots Number of M.2 (M) slots	1 2 3
<u></u> p		BIOS	
		BIOS type *	UEFI AMI
		BIOS memory size	256 Mbit
		ACPI version	6.4
		System Management BIOS (SMBIOS) version	3.5
		Weight & dimensions	
		Width	243.8 mm
		Depth	304.8 mm





4711377026376

0824142305980



824142305980

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.