

## be quiet! Dark Power 13 virtalähdeyksikkö 850 W 20+4 pin ATX ATX musta

**Tuotemerkki** : be quiet!

**Tuotekoodi**: BN334


**Tuotteen nimi** : Dark Power 13

be quiet! Dark Power 13. Kokonaisteho: 850 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 950 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 60 cm, SATA-virtakaapelin pituus: 1050 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Titanium. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 13,5 cm. Sisältää johdot: SATA



Power		Performance	
Total power *	850 W	EPS version	2.92
Peak power	950 W	Noise level	19.8 dB
AC input voltage *	100 - 240 V	Bearing technology	FDB
AC input frequency	50 - 60 Hz	Mean time between failures (MTBF)	100000 h
Input current	10 A	Certification	BSMI, CB, CCC, CE, cRUus, CU, FCC, cTUVus, RCM, TUV, UKCA, Triman
Maximum input current (@110V)	5 A	<b>Design</b>	
Maximum input current (@220V)	10 A	Product colour	Black
Max output current (+3.3V)	24 A	Cooling type	Active
Max output current (+12V1)	30 A	Fan diameter	13.5 cm
Max output current (+12V2)	30 A	Number of fans	1 fan(s)
Max output current (+12V3)	35 A	Fan speed	0 - 1800 RPM
Max output current (+12V4)	35 A	Fan location	Top
Max output current (+5V)	24 A	Illumination	✗
Max output current (-12V)	0.5 A	Built-in display	✗
Max output current (+5Vsb)	3 A	<b>Operational conditions</b>	
Hold time	22.6 ms	Operating temperature (T-T)	0 - 40 °C
Efficiency	95.4%	<b>Packaging content</b>	
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Cables included	SATA
<b>Ports &amp; interfaces</b>		Cable tie(s) included	✓
Motherboard power connector *	20+4 pin ATX	<b>Weight &amp; dimensions</b>	
Motherboard power cable length	60 cm	Width	150 mm
Number of SATA power connectors	12	Depth	175 mm
Number of PATA power connectors	3	Height	86 mm
SATA power cable length	1050 mm	Weight	1.97 kg
PCI Express power connectors (6+2 pin)	4	<b>Packaging data</b>	
CPU power connector (4+4 pin)	✓	Package width	120 mm
Cabling type	Fully-Modular	Package depth	350 mm
<b>Performance</b>		Package height	270 mm
80 PLUS certification *	80 PLUS Titanium	Package weight	4.25 kg
Supported motherboard form factors	ATX, micro ATX, Mini-ATX	Package type	Box
Purpose *	PC	<b>Technical details</b>	
		Sustainability certificates	ENERGY STAR, ErP

Performance		Technical details	
Power supply unit (PSU) form factor	ATX	Warranty period	10 year(s)
ATX version	3.0	Compliance certificates	CB, CCC, CE, Federal Communications Commission (FCC), RoHS, UKCA, WEEE
		Logistics data	
		Shipping (inner) case length	50.4 cm
		Shipping (inner) case width	30.5 cm
		Shipping (inner) case height	36.8 cm
		Shipping (inner) case net weight	18.3 kg



4260052189399

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date