

be quiet! Dark Power 13 virtalähdeyksikkö 1000 W 20+4 pin ATX ATX musta

Tuotemerkki : be quiet!

Tuotekoodi: BN335


Tuotteen nimi : Dark Power 13

be quiet! Dark Power 13. Kokonaisteho: 1000 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 1100 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 60 cm, SATA-virtakaapelin pituus: 1050 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Titanium. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 13,5 cm. Sisältää johdot: DC, SATA



Power		Performance	
Total power *	1000 W	Supported motherboard form factors	ATX
Peak power	1100 W	Purpose *	PC
AC input voltage *	100 - 240 V	Power supply unit (PSU) form factor *	ATX
AC input frequency	50 - 60 Hz	ATX version	3.0
Input current	13/6 A	EPS version	2.92
Maximum input current (@110V)	6 A	Silent mode	✓
Maximum input current (@220V)	13 A	Noise level	25.8 dB
Power factor	3	Bearing technology	FDB
Power Factor Correction (PFC) type	Active	ECC	✓
Combined power (+3.3V)	125 W	Certification	BSMI , CB, CCC, CE, cTUVus, CU, FCC, RCM, TÜV, UKCA, Triman
Combined power (+12V)	996 W	Design	
Combined power (+5V)	125 W	Product colour	Black
Combined power (-12V)	6 W	Cooling type	Active
Combined power (+5Vsb)	15 W	Fan diameter	13.5 cm
Max output current (+3.3V)	25 A	Number of fans	1 fan(s)
Max output current (+12V1)	32 A	Fan speed	0 - 1800 RPM
Max output current (+12V2)	32 A	Fan location	Top
Max output current (+12V3)	40 A	Illumination	✗
Max output current (+12V4)	40 A	Built-in display	✗
Max output current (-12V)	0.5 A	LED indicators	✗
Max output current (+5Vsb)	3 A	Packaging content	
Hold time	23.2 ms	Cables included	DC, SATA
Efficiency	93.3%	Cable tie(s) included	✓
Power protection features	Over current, Over voltage, Overheating, Short circuit, Under voltage	Certificates	
Ports & interfaces		Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Motherboard power connector *	20+4 pin ATX	Weight & dimensions	
Motherboard power cable length	60 cm	Width	150 mm
Number of SATA power connectors	13	Depth	86 mm
Number of PATA power connectors	3	Height	175 mm
SATA power cable length	1050 mm	Weight	2.03 kg
Peripheral (Molex) power connectors (4-pin) *	1		
PCI Express power connectors (6+2 pin)	4		

Ports & interfaces		Packaging data	
CPU P4 connector (4-pin)	1	Package width	120 mm
CPU power connector (4+4 pin)	✓	Package depth	350 mm
ATX power connector (20+4 pin)	✓	Package height	270 mm
Floppy disk drive connector	✗	Package weight	4.48 kg
Cabling type	Fully-Modular	Package type	Box
Performance		Technical details	
80 PLUS certification *	80 PLUS Titanium	Sustainability certificates	ENERGY STAR, ErP
		Warranty period	10 year(s)
		Compliance certificates	CCC, CE, RoHS, WEEE
		Logistics data	
		Shipping (inner) case length	50.4 cm
		Shipping (inner) case width	30.5 cm
		Shipping (inner) case height	36.8 cm
		Pallet gross weight (air)	19.3 kg



4260052189405

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date