ASUS PRO B760M-C-CSM Intel B760 LGA 1700 micro ATX

Brand: ASUS Product code: 90MB1DX0-M0EAYC

Product name: PRO B760M-C-CSM

- Intel® LGA 1700 socket: Ready for 13th Gen Intel Core™ processors
- ASUS CSM program: A stable motherboard supply, end-of-life notifications, and IT software for business motherboards
- ASUS Control Center Express: Integrated IT monitoring and management software that simplifies enterprise-level system administration
- Enhanced system security: A self-recovering BIOS
- Consistent and reliable performance: High-quality components and rigorous testing to help ensure durability in harsh environments
- Efficient management and customization: An event \log and commercial BIOS kit to enable easy maintenance
- Better serviceability: Q-LED Core diagnostic display and COM debug header to facilitate building and support processes
- Ultrafast connectivity: PCle 4.0, DDR5, front USB 3.2 Gen 1 Type-C®

Micro-ATX B760 business motherboard with enhanced security, reliability and manageability and serviceability





Processor		Internal I/O	
Processor manufacturer *	Intel	12V power connector	✓
Processor socket *	LGA 1700	Rear panel I/O ports	
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7,	USB 2.0 ports quantity *	2
Compatible processor series	Intel® Core™ i9, Intel® Pentium®, Intel® Pentium® Gold	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Supported processor sockets	LGA 1700	Ethernet LAN (RJ-45) ports *	1
Memory		PS/2 ports quantity	2
Supported memory types *	DDR5-SDRAM	VGA (D-Sub) ports quantity *	1
Number of memory slots *	4	HDMI ports quantity *	1
Memory slots type	DIMM	HDMI version	2.1
Memory channels	Dual-channel	DisplayPorts quantity	2
ECC compatibility	Non-ECC	DisplayPort version	1.4
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200 MHz	Headphone outputs	1
Supported memory clock speed (max)	6200 MHz	Line-in Microphone in	<i>'</i>
Maximum internal memory *	128 GB	Microphone III	•
Unbuffered memory	✓	Network	
Storage controllers		Ethernet LAN	✓
Supported storage drive types	HDD & SSD	Ethernet interface type	Gigabit Ethernet
Supported storage drive interfaces * M.2, SATA III		Wi-Fi *	×
Number of HDDs supported	4	Features	
Number of storage drives suppo	orted 6	Motherboard chipset *	Intel B760
RAID support	✓	Audio output channels *	7.1 channels
RAID levels	0, 1, 5, 10	Component for *	PC
Graphics		Motherboard form factor *	micro ATX
Parallel processing technology support *	Not supported	Motherboard chipset family * Cooling type Power source type	Intel Passive ATX

Internal I/O		Features	
USB 2.0 connectors *	2	Windows operating systems	Windows 10, Windows 11
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	supported	
Number of SATA III connectors *	4	Expansion slots	_
Front panel audio connector	✓	PCI Express x1 (Gen 3.x) slots	2
ATX Power connector (24-pin)	✓	PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots	1 2
CPU fan connector	✓	BIOS	
Number of chassis fan connectors	2	BIOS memory size	128 Mbit
Chassis intrusion connector	✓	·	120 MDIL
EPS power connector (8-pin)	✓	Weight & dimensions	
Number of COM connectors	1	Width	244 mm
TPM connector	✓	Depth	244 mm
		Packaging content	
		Cables included	SATA
		User guide	✓
		Other features	
		Number of M.2 (E) slots	1

