ASUS PRO B760M-C-CSM Intel B760 LGA 1700 mikro ATX

Tuotemerkki : ASUS Tuotekoodi: 90MB1DX0-M0EAYC

Tuotteen nimi: PRO B760M-C-CSM

ASUS PRO B760M-C-CSM. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,....
Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM.
Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: Gigabitti Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: Intel





Processor		Internal I/O	
Processor manufacturer *	Intel	12V power connector	✓
Processor socket *	LGA 1700	Rear panel I/O ports	
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7,	USB 2.0 ports quantity *	2
Compatible processor series	Intel® Core™ i9, Intel® Pentium®, Intel® Pentium® Gold	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Supported processor sockets	LGA 1700	Ethernet LAN (RJ-45) ports *	1
Memory		PS/2 ports quantity	2
Supported memory types *	DDR5-SDRAM	VGA (D-Sub) ports quantity *	1
Number of memory slots *	4	HDMI ports quantity *	1
Memory slots type	DIMM	HDMI version	2.1
Memory channels	Dual-channel	DisplayPorts quantity	2
ECC compatibility	Non-ECC	DisplayPort version	1.4
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200 MHz	Headphone outputs	1
Supported memory clock speed (max)	6200 MHz	Line-in Microphone in	<i>'</i>
Maximum internal memory *	128 GB	Microphone III	•
Unbuffered memory	1	Network	
Storage controllers		Ethernet LAN	/
Supported storage drive types	HDD & SSD	Ethernet interface type	Gigabit Ethernet
Supported storage drive interfaces * M.2, SATA III		Wi-Fi *	×
Number of HDDs supported	4	Features	
Number of storage drives supported 6		Motherboard chipset *	Intel B760
RAID support	✓	Audio output channels *	7.1 channels
RAID levels	0, 1, 5, 10	Component for *	PC
Graphics		Motherboard form factor *	micro ATX
Parallel processing technology support *	Not supported	Motherboard chipset family * Cooling type Power source type	Intel Passive ATX

Internal I/O		Features	
USB 2.0 connectors *	2	Windows operating systems	Windows 10, Windows 11
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	supported	
Number of SATA III connectors *	4	Expansion slots	_
Front panel audio connector	✓	PCI Express x1 (Gen 3.x) slots	2
ATX Power connector (24-pin)	✓	PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots	1 2
CPU fan connector	✓	BIOS	
Number of chassis fan connectors	2	BIOS memory size	128 Mbit
Chassis intrusion connector	✓	·	120 MDIL
EPS power connector (8-pin)	✓	Weight & dimensions	
Number of COM connectors	1	Width	244 mm
TPM connector	✓	Depth	244 mm
		Packaging content	
		Cables included	SATA
		User guide	✓
		Other features	
		Number of M.2 (E) slots	1

