

Canon MAXIFY MB2155 Mustesuihku A4 600 x 1200 DPI Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: MAXIFY

Tuotekoodi: 0959C029

Tuotteen nimi : MB2155

Canon MAXIFY MB2155. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 600 x 1200 DPI. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 1200 DPI. Faksaus: Värifaksaus. Kaksipuolinen toiminto: Tulosta. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



| | | | |
|-----------------------------------------|-----------------------|-------------------------------------------|---------------------------------------------------------------------------------------------|
| Printing | | Input & output capacity | |
| Duplex printing mode | Auto | Auto document feeder (ADF) input capacity | 50 sheets |
| Print technology * | Inkjet | Paper handling | |
| Printing * | Colour printing | Maximum ISO A-series paper size * | A4 |
| Duplex printing * | ✓ | Maximum print size | 210 x 297 mm |
| Maximum resolution * | 600 x 1200 DPI | Paper tray media types * | Envelopes, Glossy paper, High resolution paper, Matte paper, Plain paper, Semi-glossy paper |
| Print speed (ISO/IEC 24734) mono | 19 ipm | ISO A-series sizes (A0...A9) * | A4, A5 |
| Print speed (ISO/IEC 24734) colour | 13 ipm | ISO B-series sizes (B0...B9) | B5 |
| Time to first page (black, normal) | 6 s | Envelopes sizes | 10, C5, DL, Monarch |
| Time to first page (colour, normal) | 7 s | Photo paper sizes | 10x15,13x18,20x25 |
| Copying | | Custom media width | 89 - 215.9 mm |
| Copying * | Colour copying | Custom media length | 127 - 355.6 mm |
| Copy speed (black, normal quality, A4) | 18 cpm | Paper tray media weight | 64 - 105 g/m ² |
| Copy speed (colour, normal quality, A4) | 10 cpm | Ports & interfaces | |
| Maximum number of copies | 99 copies | Standard interfaces | USB 2.0, Wireless LAN |
| Copier resize | 25 - 400% | USB port | ✓ |
| N-in-1 copy function (N=) | 2, 4 | USB 2.0 ports quantity | 1 |
| Scanning | | Network | |
| Scanning * | Colour scanning | Wi-Fi * | ✓ |
| Optical scanning resolution * | 1200 x 1200 DPI | Ethernet LAN * | ✗ |
| Maximum scan area | 216 x 297 mm | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Scanner type * | Flatbed & ADF scanner | Security algorithms | SNMP |
| Scan technology | CIS | Mobile printing technologies | Apple AirPrint, Google Cloud Print, Mopria Print Service |
| Scan to | Cloud, E-mail, USB | Design | |
| Input colour depth | 48 bit | Product colour * | Black |
| Output colour depth | 24 bit | Market positioning * | Home & office |
| Fax | | Built-in display * | ✓ |
| Faxing * | Colour faxing | Display | TFT |
| Fax resolution (black) | 300 x 300 DPI | Display diagonal | 6.35 cm (2.5") |
| Fax transmission speed | 3 sec/page | Colour display | ✓ |
| Modem speed | 33.6 Kbit/s | Power | |
| Fax memory | 250 pages | Power consumption (copying) | 27 W |
| Speed dialling | ✓ | Power consumption (off) | 0.2 W |
| Fax speed dialling (max numbers) | 100 | Features | |
| Features | | Recommended duty cycle | 200 - 1000 pages per month |

| Features | | Power | |
|------------------------------------|------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------------|
| Maximum duty cycle * | 20000 pages per month | Energy Star Typical Electricity Consumption (TEC) | 0.2 kWh/week |
| Duplex functions * | Print | AC input voltage | 100 - 240 V |
| Number of print cartridges * | 4 | AC input frequency | 50 - 60 Hz |
| Printing colours * | Black, Cyan, Magenta, Yellow | System requirements | |
| All-In-One-multitasking | ✓ | Windows operating systems supported | ✓ |
| Input & output capacity | | Server operating systems supported | Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2 |
| Total number of input trays * | 1 | Mobile operating systems supported | Android, iOS |
| Total input capacity * | 250 sheets | Operational conditions | |
| Paper input type | Cassette | Operating relative humidity (H-H) | 10 - 80% |
| Auto document feeder (ADF) | ✓ | Operating temperature (T-T) | 10 - 30 °C |
| | | Weight & dimensions | |
| | | Width | 463 mm |
| | | Depth | 389 mm |
| | | Height | 260 mm |
| | | Weight | 10.6 kg |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date