

GUC3C3H

USB-C to HDMI / USB Multiport Adapter

The all-in-one adapter that lets you connect the only USB-C port of your laptop to an HDMI display, while also connecting a standard USB device and a USB-C charging cable.



Get More Out Of Your USB-C Port

This all-in-one adapter allows customer to easily output 4K video via HDMI and add a USB Type-A port while powering their laptop up to 60W. If the USB-C port is not utilized, it can become a standard USB-C port for use with any USB-C peripheral device such as a hub, Ethernet adapter, card reader and more.

1. PD (Power Delivery) Pass-Thru

No need to worry about running out of power while using your USB-C port. Connect your laptop's original USB-C charger to the multiport adapter and charge your laptop while you work or play. Providing up to 60w of power, your laptop will charge at the fast rate you expect from USB-C.


2. 4K Resolution On An Additional Monitor

Add an HDMI video port to your laptop and extend your monitor for a more complete workstation. The USB-C to HDMI / USB Multiport Adapter supports up to 4K resolution from the HDMI video output for an astonishing video experience. To add your extra HDMI monitor, no drivers are needed- making this a simple Plug-N-Play installation.

- Expand your USB-C port to HDMI, USB-C and USB Type-A port
- 4K Video Resolution of up to 3840 x 2160@30HZ
- Supports USB-C Power Delivery up to 60W
- USB-C downstream port x 1 (5Gbps)
- USB Type-A port x 1 (5Gbps)
- Compatible with Thunderbolt 3 (USB-C)
- DP (DisplayPort) ALT Mode¹

¹Compatible with DP ALT mode supported USB-C and Thunderbolt 3 (USB-C) laptops





Requirements

Package Contents

- | Requirements | Package Contents |
|---|---|
| <ul style="list-style-type: none">• Computer | <ul style="list-style-type: none">• 1 x GUC3C3H |
| <ul style="list-style-type: none">• Windows and Mac
USB-C Enabled
Computers | <ul style="list-style-type: none">• 1 x Warranty Card |
| <ul style="list-style-type: none">• DP (DisplayPort) ALT
Mode Support | |

Specifications

Function	GUC3C3H
Connectors (Input)	USB Type-C (Male: 24-Pin)
USB Specification	USB 3.1 Gen 1
Video connections	
Output	HDMI
Video Resolution	Up to 3840x2160 @30Hz
Power Supply	USB-C PD Pass-Thru up to 60W

Dimensions	GUC3C3H
POP Information	
10" Peg Hook	6
6" Peg Hook	4
Unit Dimensions	
Height	0.6" (1.5 cm)
Depth	1.6" (4 cm)
Length	2.4" (6 cm)
Inner Pack	
Width	7.7" (19.5 cm)
Height	6.1" (15.5 cm)
Depth	4.7" (12 cm)
Inner Pack Qty.	6
Unit Package Dimensions	
Width	4.33" (11 cm)
Height	5.7" (14.5 cm)
Depth	1.2" (3 cm)
Master Carton	
Width	16.2" (41 cm)
Height	7" (18 cm)
Depth	6.3" (16 cm)
Master Carton Qty.	24
Weight	
Master Carton Wt.	5.8 lb (2.6 kg)
Inner Pack Wt.	1.2 lb (0.5 kg)
Unit Pack Wt.	0.2 lb (0.09 kg)
Unit Wt.	0.05 lb (0.02 kg)