KYOCERA ECOSYS PA4500x 1200 x 1200 DPI A4

Tuotemerkki: KYOCERA Tuoteperhe: ECOSYS Tuotekoodi: 110C0Y3NL0

Tuotteen nimi: PA4500x

Non-ISO print media sizes

Legal, Letter

KYOCERA ECOSYS PA4500x. Tulostustekniikka: Laser. Värikasettien määrä: 1, Suurin toimintajakso: 150000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 45 ppm, Kaksipuolinen tulostus. Näyttö: LCD.

Verkkovalmius. Tuotteen väri: Valkoinen



| Printing | | Network | |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------|
| Duplex printing mode | Auto | Cabling technology | 10/100/1000Base-T(X) |
| Print resolution black | 1200 x 1200 DPI | Ethernet LAN data rates | 10,100,1000 Mbit/s |
| Colour * | × | Near Field Communication (NFC) | × |
| Print technology * | Laser | Bluetooth | × |
| Duplex printing * | ✓ | Security algorithms | HTTPS, IPPS, IPSec, SNMPv3 |
| Maximum resolution * | 1200 x 1200 DPI | | Apple AirPrint, Google Cloud Prin |
| Print speed (black, normal quality, A4/US Letter) * | 45 ppm | Mobile printing technologies | Kyocera Mobile Print, Mopria Prin Service |
| Duplex print speed (black, normal quality, A4/US Letter) | 22.5 ppm | Performance Internal memory * | 512 MB |
| Warm-up time | 16 s | • | 2500 MB |
| Time to first page (black, normal) | 5.3 s | Maximum internal memory Compatible memory cards | SD, SDHC |
| Features | | Built-in processor | JD, JDHC ✓ |
| Maximum duty cycle * | 150000 pages per month | Processor family | ARM Cortex |
| Recommended duty cycle | 5000 - 20000 pages per month | Processor model | Cortex-A53 |
| Printing colours * | Black | Processor frequency | 1400 MHz |
| Number of print cartridges * | 1 | Processor cores | 2 |
| Page description languages * | Epson LQ, IBM ProPrinter, JPEG, OpenXPS, PCL 5e, PCL 6, PCL XL, PCLm, PDF, PWG, PostScript 3, TIFF, URF, XPS | Sound pressure level (printing) | 54 dB |
| | | Sound power level (standby) | 30 dB |
| | | Design | |
| Printer fonts | Barcode, Bitmap, PCL | Market positioning * | Business |
| Number of printer fonts | 93 | Product colour * | White |
| Replacement cartridges | TK-3400 | Built-in display * | √ |
| Input & output capacity | | Display | LCD |
| Total number of input trays * | 1 | Colour display | × |
| Total input capacity * | 500 sheets | Touchscreen | × |
| Total output capacity * | 250 sheets | Display number of lines | 5 lines |
| Paper tray 1 input capacity | 500 sheets | Control type | Buttons |
| Paper input type | Cassette, Paper tray | Certification | GS, TÜV, CE |
| Multi-Purpose tray | ✓ | Power | |
| Multi-Purpose tray input capacity | 100 sheets | | COE E W |
| Maximum number of input trays | 5 | Power consumption (printing) * | 605.5 W |
| Maximum input capacity | 2600 sheets | Power consumption (standby) Power consumption (PowerSave) | 8.4 W 0.5 W |
| Paper handling | | AC input voltage | 220 - 240 V |
| Maximum ISO A-series paper size * | | AC input frequency | 50 - 60 Hz |
| Maximum print size | 216 x 356 mm | System requirements | |
| Paper tray media types * | Plain paper | Windows operating systems | |
| Multi-purpose tray media types | Legal, Letter | supported | ✓ |
| ISO A-series sizes (A0A9) * | A4, A5 | | |
| ISO B-series sizes (B0B9) | B5 | | |

| Paper handling | | System requirements | |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Custom media width Custom media length Paper tray media weight Multi-Purpose Tray media weight Duplex media weight | 140 - 216 mm 210 - 356 mm 60 - 120 g/m ² 60 - 220 g/m ² 60 - 120 g/m ² | Mac operating systems supported | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura |
| Ports & interfaces | | | |
| Standard interfaces Direct printing * USB port * USB 2.0 ports quantity USB connector Optional connectivity | RJ-45, USB 2.0 2 USB Type-A / USB Type-B Ethernet, Parallel, Wireless LAN | Linux operating systems supported | ✓ |
| | | Other operating systems supported | ChromeOS |
| | | Sustainability | |
| | | Sustainability certificates | Blue Angel, ENERGY STAR |
| | | Weight & dimensions | |
| Network | | Width | 390 mm |
| Network ready ✓ | ✓ | Depth | 416 mm |
| Wi-Fi * | × | Height | 308 mm |
| Ethernet LAN * | | Weight | 14.6 kg |
| | | Packaging data | |
| | | Package width | 549 mm |
| | | Package depth | 494 mm |
| | | Package height | 420 mm |
| | | Package weight | 18.5 kg |
| | | Packaging content | |
| | | Cartridge(s) included | ✓ |
| | | Included cartridge capacity (black) | 6000 pages |
| | | Cables included | AC |





632983080030

0632983080030

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.