

Lenovo 40AF0135IT laptop dock/port replicator Wired USB 3.2 Gen 2 (3.1 Gen 2) Type-C Black

Brand : Lenovo Product code: 40AF0135IT

Product name: 40AF0135IT

ThinkPad Hybrid USB-C with USB-A Dock

Lenovo 40AF0135IT laptop dock/port replicator Wired USB 3.2 Gen 2 (3.1 Gen 2) Type-C Black:

The ThinkPad Hybrid USB-C with USB-A Dock expands the capabilities of most any laptop, new or old, making it perfect for enterprise customers with mixed-PC or shared-desk environments. It features enterprise-class manageability like PXE boot and MAC address pass-through. The ThinkPad Hybrid USB-C with USB-A Dock offers three high-speed USB 3.1 ports, up to dual UHD 4K resolution and rapid charging on ThinkPad notebooks. With the included USB-C to USB-A adaptor, it can also provide port replication to non-Lenovo or non-USB-C notebooks.





Ports & interfaces		Performance	
Connectivity technology * Host interface * USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity HDMI ports quantity * DisplayMorts quantity	Wired USB 3.2 Gen 2 (3.1 Gen 2) Type-C 2 3 1 2 2	Compatibility	E580, E480, E470, L580, L480, L470, L380, L380 Yoga, Lenovo Tablet 10, Miix 520-12IKB, T580, T570, T480, T480s, T470, T470s, T460, ThinkPad 25, X1 Carbon Gen 6, X1 Carbon Gen 5, X1 Yoga Gen 3 X1 Yoga Gen 2, X1 Tablet Gen 3, X1 Tablet Gen 2, 13 Gen 3 Windows, X280, X270, X260 BSMI, CB, CE, cULus, EAC, FCC/ICES
DisplayPorts quantity Microphone in * Combo headphone/mic port	∠ ✓	Certification	Israel SII, KCC, LoA, NOM, RCM, Serbia Kvalitet, TUV Mark, Ukraine DoC, VCCI
Headphone outputs *	1	Power	
Headphone connectivity	3.5 mm	Power source type	DC
DC-in jack	✓	Power supply	135 W
Network		Software	
Ethernet LAN * Ethernet LAN (RJ-45) ports	1	Windows operating systems supported	1
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight & dimensions	
Performance		Width	210 mm
Card reader integrated *	X	Depth	80 mm
Product colour *	Black	Height	30 mm
Brand compatibility	Lenovo	Weight	475 g
		Packaging data	
		Package width Package depth Package height Package weight	270 mm 165 mm 88 mm 1.35 kg
		Packaging content	
		Cables included AC adapter included	USB √

LOQ	istics	aata

Harmonized System (HS) code


84733020





191999788342

0191999788342



5715063023495

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.