

BenQ MW560 data projector Standard throw projector 4000 ANSI lumens DLP WXGA (1280x800) 3D White

Brand : BenQ Product code: 9H.JNF77.1JE

Product name : MW560



- Finest All Glass Lenses for the Best and Purest Image Clarity
- 4000 ANSI Lumens High Brightness and 20,000:1 High Contrast
- Exclusive Data Review Mode for Detailed Data Charts and Special SmartEco Mode Saving Lamp Power Up To 70%

WXGA Business Projector with All Glass Lenses for Presentations, DLP, 4000 ANSI Lumen, 1280 x 800, 20000:1, 16:10

BenQ MW560. Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 10000 h. Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68, Zoom ratio: 1.1:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size



Projector		Ports & interfaces	
Smart projector *	x	Composite video in *	1
Screen size compatibility *	1524 - 3810 mm (60 - 150")	DVI port *	×
Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) *	4000 ANSI lumens DLP WXGA (1280x800) 20000:1	AC (power) in	✓
		Network	
		Smart TV *	×
Native aspect ratio *	16:10	Ethernet LAN *	×
Number of colours Horizontal scan range Vertical scan range	1.07 billion colours 15 - 102 kHz 23 - 120 Hz	Wi-Fi *	×
		Storage	
Keystone correction, vertical	-40 - 40°	Card reader integrated *	×
Matrix size	1.65 cm (0.65")	Features	
Light source		Noise level (economic mode)	29 dB
Light source type *	Lamp	On Screen Display (OSD)	✓
Service life of light source *	6000 h		Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian,
Service life of light source (economic mode)	10000 h		
Lens system		On Screen Display (OSD) languages	
Focal length range	22 - 24.1 mm		
Aperture range (F-F)	2.56 - 2.68		Swedish, Thai, Turkish, Vietnamese
Zoom capability	✓	Number of OSD languages	30
Zoom ratio	1.1:1	Noise level *	34 dB
Throw ratio	1.55~1.7:1	Multimedia	
Offset	100%	Built-in speaker(s) *	✓
Video		RMS rated power	10 W
Analog signal format system *	NTSC, PAL, SECAM	Number of built-in speakers	1
Full HD *	×		

Video		Design	
3D * Supported graphics resolutions Supported video modes	(WUXGA) 480i 480n 576i 576n 720n 1080i		Presentation Standard throw projector White ✓
Video colour modes	Presentation, sRGB	Cable lock slot type	Kensington
Ports & interfaces HDMI connector type S-Video inputs quantity USB 2.0 ports quantity Mini-USB 2.0 ports quantity Headphone outputs Microphone in Serial interface type * PC in (D-Sub) VGA (D-Sub) ports quantity * HDMI ports quantity *	Full-size 1 1 1 1 RS-232 1 2	Power Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (economy mode) AC input voltage Operational conditions Operating temperature (T-T) Weight & dimensions Width Depth	AC 260 W 0.5 W 280 W 215 W 100 - 240 V 0 - 40 °C
		Depth Height Weight * Packaging content	221 mm 120 mm 2.3 kg
		Remote control included * Remote control type Cables included	✓ IR AC, VGA

