

## StarTech.com DK31C3MNCRUE kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 2 (3.1 Gen 2) Type-C

**Tuotemerkki** : StarTech.com

**Tuotekoodi**: DK31C3MNCRUE

**Tuotteen nimi** : DK31C3MNCRUE

StarTech.com DK31C3MNCRUE. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery asti: 60 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Tiedonsiirtonopeus: 10 Gbit/s, HD-tyyppi: 5K Ultra HD, Digitaalinen enimmäistarkkuus: 5120 x 2880 pikseliä. AC-syöttöjännite: 100 - 240 V, Syöttöjännite: 2.37 A, Ulostulojännite: 20 V. Tuotteen leveys: 80 mm, Tuotteen syvyys: 210 mm, Tuotteen korkeus: 32 mm



Ports & interfaces		Performance	
Connectivity technology *	Wired	Cable lock slot	✓
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Cable lock slot type	Kensington
USB 2.0 ports quantity *	2	LED indicators	Network, Power
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3	<b>Power</b>	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	AC input voltage	100 - 240 V
USB Power Delivery (USB PD)	✓	Input current	2.37 A
USB Power Delivery revision	3.0	Output voltage	20 V
USB Power Delivery up to	60 W	Output current	6.75 A
HDMI ports quantity *	2	Power consumption (typical)	135 W
HDMI version	2.0b	Compatible power plug types	EU, UK
DisplayPorts quantity	2	<b>Operational conditions</b>	
DisplayPort version	1.4	Operating temperature (T-T)	0 - 40 °C
Combo headphone/mic port	✓	Storage temperature (T-T)	-20 - 70 °C
Headphone outputs *	1	Operating relative humidity (H-H)	0 - 95%
Headphone connectivity	3.5 mm	<b>Sustainability</b>	
USB Type-C DisplayPort Alternate Mode	✓	Sustainability compliance	✓
<b>Network</b>		<b>Weight &amp; dimensions</b>	
Ethernet LAN *	✓	Width	80 mm
Ethernet LAN (RJ-45) ports	1	Depth	210 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height	32 mm
<b>Performance</b>		<b>Packaging content</b>	
Data transfer rate	10 Gbit/s	Cables included	USB Type-C to USB Type-C
HD type	5K Ultra HD	AC adapter included	✓
Maximum digital resolution	5120 x 2880 pixels	Quick start guide	✓
Maximum refresh rate	60 Hz	<b>Technical details</b>	

**Technical details**

Compliance certificates CE, RoHS

**Other features**

Chipset Synaptics - VMM5320, Realtek - RTS5420, Parade - PS8469, Parade - PS8468, Parade - PS8805, Parade - PS8803, VIA/VLI - VL822 Realtek - ALC5686, VIA/VLI - VL211, Realtek - RTL8153B



0065030898133



065030898133

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date