
Epson EB-L770U dataprojektori 7000 ANSI lumenia 3LCD WUXGA (1920x1200) Valkoinen

Tuotemerkki : Epson Tuotekoodi: V11HA96080

Tuotteen nimi: EB-L770U







Projector		Storage	
Screen size compatibility * Projector brightness * Projection technology *	1270 - 12700 mm (50 - 500") 7000 ANSI lumens 3LCD	Card reader integrated *	×
		Features	
		Interactive *	×
Projector native resolution * Contrast ratio (typical) *	WUXGA (1920x1200) 2500000:1	Noise level (economic mode)	27 dB
Native aspect ratio *	16:10	Noise level *	37 dB
Number of colours	1.07 billion colours	High Dynamic Range (HDR)	✓
Keystone correction, horizontal	-30 - 30°	supported High Dynamic Range (HDR)	
Keystone correction, vertical	-30 - 30°	technology	High Dynamic Range 10 (HDR10)
Light source		Multimedia	
Light source type *	Laser	Built-in speaker(s) *	✓
Service life of light source *	20000 h	RMS rated power	10 W
Service life of light source (economic mode)	30000 h	Design	
Lens system		Market positioning *	Education
Focus *	Manual	Product colour *	White
Focal length range	20 - 31.8 mm	Placement	Ceiling, Desktop
Aperture range (F-F)	1.5 - 1.7	Cable lock slot	✓
Zoom capability	✓	Cable lock slot type	Kensington
Zoom type	Manual	Power	
Throw ratio	1.35 - 2.20:1	Power source *	AC
Video		Power consumption (typical) *	300 W
Analog signal format system *	Not supported	Power consumption (standby) *	0.5 W
Full HD *	✓	Power consumption (max)	366 W
3D *	x	Power consumption (economy mode)	277 W
Notes and a second	Cinema, DICOM simulation mode,	AC input frequency	50/60 Hz
Video colour modes	Dynamic, Multi-projection, Natural, Presentation	AC adapter output voltage	100 - 240 V
Ports & interfaces		Operational conditions	
HDBaseT port	✓	Storage temperature (T-T)	-10 - 60 °C
USB 2.0 ports quantity	2	Operating relative humidity (H-H)	20 - 80%
USB 2.0 Type-A ports quantity	1	Storage relative humidity (H-H)	10 - 90%
USB 2.0 Type-B ports quantity	1	Weight & dimensions	
Serial interface type *	RS-232C	Width	440 mm
HDMI ports quantity *			
,	3	Depth	304 mm 122 mm

Network		Weight & dimensions		
Ethernet LAN *	×	Weight *	8.5 kg	
Wi-Fi *	✓	Packaging content		
		Remote control included *	✓	
		Batteries included	✓	



8715946712956

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.