

Xerox B305, A4, 38 s/min, langaton, kaksipuolinen kopiointi/tulostus/skannaus, PS3 PCL5e/6 , 2 alustaa, 350 arkkia

Tuotemerkki : Xerox

Tuotekoodi: B305V_DNI

Tuotteen nimi : Xerox B305, A4, 38 s/min, langaton, kaksipuolinen kopiointi/tulostus/skannaus, PS3 PCL5e/6 , 2 alustaa, 350 arkkia

- Kopiointi, tulostus, skannaus
- Sopii erinomaisesti pk-yrityksille ja kotitoimistoihin
- Pääsy valinnaiseen edistyneeseen asiakirjojen työnkulkuun Xerox Workflow Centralin avulla
- Luotettava ja varma
- Valmis mobiilikäyttöön: Apple AirPrint, Mopria, Wi-Fi Direct
- Kattavat suojaustoiminnot

Xerox B305, A4, 38 s/min, langaton, kaksipuolinen kopiointi/tulostus/skannaus, PS3 PCL5e/6 , 2 alustaa, 350 arkkia

Xerox B305, A4, 38 s/min, langaton, kaksipuolinen kopiointi/tulostus/skannaus, PS3 PCL5e/6 , 2 alustaa, 350 arkkia. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 2400 x 2400 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 38 ppm. Kopiointi: Yksittäiskopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Kaksipuolinen toiminto: Kopiointi, Tulosta. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: Sininen, Valkoinen



| Printing | | Paper handling | |
|---|-----------------|---|--|
| Duplex printing mode | Auto | Custom media length | 148 - 356 mm |
| Print resolution black | 600 x 600 DPI | Paper tray media weight | 60 - 120 g/m ² |
| Print technology * | Laser | Multi-Purpose Tray media weight | 60 - 217 g/m ² |
| Printing * | Mono printing | Auto Document Feeder (ADF) media weight | 60 - 90 g/m ² |
| Duplex printing * | ✓ | Duplex media weight | 60 - 90 g/m ² |
| Maximum resolution * | 2400 x 2400 DPI | Ports & interfaces | |
| Print speed (black, normal quality, A4/US Letter) * | 38 ppm | Direct printing * | ✓ |
| Print speed (colour, normal quality, A4/US Letter) | 38 ppm | USB port | ✓ |
| Duplex print speed (black, normal quality, A4/US Letter) | 17 ppm | USB connector | USB Type-B |
| Duplex print speed (colour, normal quality, A4/US Letter) | 17 ppm | Network | |
| Warm-up time | 90 s | Wi-Fi * | ✓ |
| Time to first page (black, normal) | 5.8 s | Ethernet LAN * | ✓ |
| N-in-1 print function | ✓ | Cabling technology | 10/100Base-T(X) |
| Watermark printing | ✓ | Ethernet LAN data rates | 10,100 Mbit/s |
| Secure printing | ✓ | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Booklet printing function | ✓ | Security algorithms | EAP-MD5, EAP-TLS, EAP-TTLS, LEAP, PEAP, WEP, WMM, WPA, WPA-TKIP, WPA2, WPA2-Enterprise |
| Copying | | Embedded web server | ✓ |
| Duplex copying * | ✓ | IP address filtering | ✓ |
| Copying * | Mono copying | Mobile printing technologies | Apple AirPrint, Mopria Print Service |
| Maximum copy resolution * | 600 x 600 DPI | Performance | |
| Maximum copy size | A4 | Internal memory * | 512 MB |
| Duplex copy speed (black, US Letter) | 17 ppm | Built-in processor | ✓ |
| Time to first copy (black, normal) | 5.3 s | Processor frequency | 1000 MHz |
| Maximum number of copies | 9999 copies | Processor cores | 2 |
| Copier resize | -25 - 400% | Sound pressure level (printing) | 67.1 dB |

| | | | |
|---|---|-------------------------------------|---|
| Copying | | Performance | |
| N-in-1 copy function | ✓ | Sound power level (standby) | 3.1 dB |
| N-in-1 copy function (N=) | 2, 4 | Design | |
| Scanning | | Product colour * | Blue, White |
| Duplex scanning * | ✓ | Market positioning * | Home & office |
| Scanning * | Colour scanning | Built-in display * | ✓ |
| Optical scanning resolution * | 600 x 600 DPI | Display | LCD |
| Optical scanning resolution (black) | 600 x 600 ppi | Display diagonal | 7.11 cm (2.8") |
| Optical scanning resolution (colour) | 600 x 600 ppi | Control type | Touch |
| Maximum scan area | 105 x 148 mm | Colour display | ✓ |
| Scanner type * | Flatbed & ADF scanner | Power | |
| Scan technology | CIS | Power consumption (max) | 530 W |
| Scan to | E-mail, FTP, File, Network folder, USB | Power consumption (printing) | 315 W |
| Image formats supported | BMP, GIF, JPG, PCX, PNG, TIFF | Power consumption (standby) | 6.5 W |
| Document formats supported | PDF | Power consumption (sleep) | 0.8 W |
| Input colour depth | 24 bit | Power consumption (off) | 0.1 W |
| Output colour depth | 24 bit | AC input voltage | 220 - 240 V |
| Scan drivers | ICA, TWAIN, WIA | AC input frequency | 47-63 Hz |
| Fax | | System requirements | |
| Faxing * | ✗ | Windows operating systems supported | Windows 10, Windows 11, Windows 8, Windows 8.1 |
| Features | | Mac operating systems supported | Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur |
| Recommended duty cycle | 0 - 6000 pages per month | Server operating systems supported | Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019 |
| Maximum duty cycle * | 80000 pages per month | Operational conditions | |
| Duplex functions * | Copy, Print | Operating relative humidity (H-H) | 8 - 80% |
| Number of print cartridges * | 1 | Storage temperature (T-T) | -40 - 40 °C |
| Printing colours * | Black | Operating temperature (T-T) | 10 - 32.2 °C |
| Page description languages | PCL 5, PCL 6, PostScript 3 | Storage relative humidity (H-H) | 8 - 80% |
| Printer fonts | Bitmap, PCL, PostScript, Scalable | Sustainability | |
| Number of PCL fonts | 6 | Sustainability certificates | Blue Angel, ENERGY STAR, EPEAT |
| Number of PostScript fonts | 158 | Weight & dimensions | |
| Number of bitmap fonts | 2 | Width | 411 mm |
| Number of scalable fonts | 89 | Depth | 266 mm |
| Input & output capacity | | Height | 339 mm |
| Total number of input trays * | 2 | Weight | 12.8 kg |
| Total input capacity * | 350 sheets | Packaging data | |
| Total output capacity * | 100 sheets | Package width | 420 mm |
| Paper tray 1 input capacity | 250 sheets | Package depth | 470 mm |
| Multi-Purpose tray | ✓ | Package height | 390 mm |
| Multi-Purpose tray input capacity | 100 sheets | Package weight | 14.7 kg |
| Auto document feeder (ADF) | ✓ | Packaging content | |
| Auto document feeder (ADF) input capacity | 50 sheets | Cartridge(s) included | ✓ |
| Paper handling | | Included cartridge capacity (black) | 2500 pages |
| Maximum ISO A-series paper size * | A4 | Cables included | AC |
| Paper tray media types * | Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Plain paper, Pre-printed, Recycled paper, Rough paper | Drivers included | ✓ |
| | | Power cord included | ✓ |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Quick installation guide | ✓ |
| ISO B-series sizes (B0...B9) | B5 | Logistics data | |
| ISO C-series sizes (C0...C9) | C5 | Harmonized System (HS) code | 84433100 |
| Non-ISO print media sizes | Folio, Legal, Oficio, Statement | Other features | |
| JIS B-series sizes (B0...B9) | B5 | Web-based management | ✓ |
| Envelopes sizes | C5 | Maximum scan area (ADF) | 216 x 356 mm |
| Custom media width | 99 - 216 mm | | |

Other features

| | |
|-----------------------------|--|
| Supported network protocols | TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP |
| Software CD | ✓ |
| Documentation CD | ✓ |



0095205069372



095205069372



0095205069389



095205069389

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.