


ASUS PRO WS W790E-SAGE SE Intel W790 LGA 4677 (Socket E) EEB

Brand : ASUS

Product code: 90MB1C20-M0EAY0

Product name : PRO WS W790E-SAGE SE

- Intel® LGA 4677 socket: Ready for Intel Xeon® W-3400 & W-2400 processors
 - CPU and memory overclocking: Supports for up to 2TB of ECC R-DIMM DDR5 memory (1DPC)
 - Ultrafast connectivity: 7 PCIe 5.0 x16 slots, Dual Intel X710-AT2 10G LAN, 3 M.2, USB 3.2 Gen 2x2 Type-C® and 2 SlimSAS
 - Server-grade IPMI remote management: Hardware and software-level with a dedicated LAN port link to AST2600 BMC controller, plus a real-time monitoring and management software – ASUS Control Center Express
 - Robust power and thermal design: 14+1+1 power stages, 8-pin and 6-pin PCIe power connectors, Massive VRM, chipset, M.2 heatsinks and M.2 backplates
 - Trusted stability: Highly compatible with the latest technologies with solid QVL list and tested for 24/7 operation, validated for extensive compatibility
- Pro WS W790E-SAGE SE Workstation Mainboard Socket Intel LGA 4677 (EEB Mainboard, PCIe 5.0, DDR5, USB 3.2 Gen 2)



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 2.0 ports quantity *	2
Processor socket *	LGA 4677 (Socket E)	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4
Compatible processor series *	Intel Xeon W	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Intel Xeon series	W-2400, W-3400	USB 3.2 Gen 2x2 Type-C ports quantity	1
Supported processor sockets	LGA 4677 (Socket E)	Ethernet LAN (RJ-45) ports *	3
Memory		VGA (D-Sub) ports quantity *	1
Supported memory types *	DDR5-SDRAM	Headphone outputs	1
Number of memory slots *	8	Line-in	✓
Memory slots type	DIMM	Microphone in	✓
Memory channels	Octa-channel	S/PDIF out port	✓
ECC compatibility	ECC	Network	
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,6400,6600,6800 MHz	Ethernet LAN	✓
Supported memory clock speed (max)	6800 MHz	Ethernet interface type	10 Gigabit Ethernet, Gigabit Ethernet
Maximum internal memory *	2.05 TB	Wi-Fi *	✗
Storage controllers		Features	
Supported storage drive types	HDD & SSD	Motherboard chipset *	Intel W790
Supported storage drive interfaces *	SlimSAS, M.2, SATA III	Audio chip	Realtek S1220A
Number of HDDs supported	10	Audio output channels *	7.1 channels
Number of storage drives supported	13	Product colour	Black
RAID support	✓	Component for *	Workstation
RAID levels	0, 1, 5, 10	Motherboard form factor *	EEB
Graphics		Motherboard chipset family *	Intel
Parallel processing technology support *	Not supported	Cooling type	Passive
On-board graphics card	✗	Power source type	ATX
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1		

Internal I/O		Features	
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Windows operating systems supported	Windows 10, Windows 11
Number of SATA III connectors *	8	Expansion slots	
Front panel audio connector	✓	PCI Express x16 (Gen 5.x) slots	7
ATX Power connector (24-pin)	✓	Number of M.2 (M) slots	3
Power fan connector	✓	BIOS	
CPU fan connector	✓	BIOS type *	UEFI AMI
Number of chassis fan connectors	5	BIOS memory size	512 Mbit
EPS power connector (8-pin)	✓	Clear CMOS button	✓
Number of COM connectors	1	Packaging data	
TPM connector	✓	Package width	379 mm
12V power connector	✓	Package depth	362 mm
Integrated SAS ports	2	Package height	81 mm
		Package weight	2.99 kg
		Weight & dimensions	
		Width	305 mm
		Depth	330 mm
		Packaging content	
		Cables included	SATA
		User guide	✓
		Other features	
		Back-to-BIOS button	✓
		Number of M.2 (E) slots	1



4711387123515



0197105123519



197105123519

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-MAR-2025. Prints or copies of Information are only valid on the printed Publication date