## Epson WorkForce WF-2930DWF Inkjet A4 5760 x 1440 DPI 33 ppm Wi-Fi

Brand: Epson Product family: WorkForce Product code: C11CK63403

Product name: WF-2930DWF

WorkForce WF-2930DWF

Epson WorkForce WF-2930DWF Inkjet A4 5760 x 1440 DPI 33 ppm Wi-Fi:

## Compact multifunction inkjet printer designed for home and small offices with automatic document feeder, Wi-Fi and mobile printing.

This feature-rich multifuction inkjet printer is stylish, compact and easy-to-use in your home office. Reduce waste and costs with A4 double-sided printing and affordable individual inks. Labour-intensive tasks such as multi-page copying, scanning and faxing are effortless with its Automatic Document Feeder (ADF). Printing on the go is easy with Wi-Fi, Wi-Fi Direct, Epson Connect1 and Apple AirPrint2. Epson WorkForce WF-2930DWF. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 5760 x 1440 DPI, Print speed (colour, normal quality, A4/US Letter): 18 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black





Printing		Paper handling	
Duplex printing mode Print technology * Printing *	Auto Inkjet Colour printing	Envelopes sizes Photo paper sizes Paper tray media weight	10, C6 10x15,13x18 cm 64 - 300 g/m²
Duplex printing *	✓	Ports & interfaces	
Maximum resolution *	5760 x 1440 DPI	Direct printing *	<b>✓</b>
Print speed (black, normal quality, A4/US Letter) *	33 ppm	USB port	✓
Print speed (colour, normal quality,	18 ppm	USB 2.0 ports quantity	1
A4/US Letter)	10 ррт	Network	
Copying		Wi-Fi *	✓
Copying *	Colour copying	Ethernet LAN *	×
Scanning		Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Scanning * Optical scanning resolution *	Colour scanning 1200 x 2400 DPI	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA3-SAE
Maximum scan area Scanner type * Scan technology	216 x 297 mm ADF scanner CIS	Mobile printing technologies	Apple AirPrint, Epson Connect, Epson Email Print, Epson Remote Print, Epson Scan to Cloud, Epson iPrint, Mopria Print Service
Fax		Design	,
Faxing * Fax transmission speed Modem speed Fax memory	Colour faxing 3 sec/page 33.6 Kbit/s 100 pages	Product colour *  Market positioning *  Built-in display *	Black Home & office
Speed dialling	✓	Colour display	<b>✓</b>
Error Correction Mode (ECM)	✓	Power	
Features		Power consumption (copying)	12 W
Maximum duty cycle *	3000 pages per month	Power consumption (ready)	4.6 W
Duplex functions *	Print	Power consumption (standby)	0.7 W

Features		Power	
Number of print cartridges *	4	Power consumption (off)	0.2 W
Printing colours *	Black, Cyan, Magenta, Yellow	AC input voltage	100 - 240 V
Country of origin	Indonesia	AC input frequency	50 - 60 Hz
Input & output capacity		System requirements	
Total number of input trays * Total input capacity * Auto document feeder (ADF)	1 100 sheets	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows Vista, Windows XP
Auto document feeder (ADF) input capacity	30 sheets		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3
Paper handling			
Maximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes	A4 Envelopes, Photo paper, Plain paper A4, A5, A6 B5, B6 Letter	Mac operating systems supported	Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
		Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016
		Weight & dimensions	
		Width	375 mm
		Depth	300 mm
		Height	218 mm
		Weight	5.2 kg
		Packaging data	
		Package width	384 mm
		Package depth	438 mm
		Package height	292 mm
		Package weight	6.3 kg
		Logistics data	
		Harmonized System (HS) code	8443310000



8715946701974

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.