



TP-Link M7000 matkapuhelinverkon laite Matkapuhelinverkon reititin

Tuotemerkki : TP-Link

Tuotekoodi: M7000

Tuotteen nimi : M7000

TP-Link M7000. Laitteen tyyppi: Matkapuhelinverkon reititin, Tuotteen väri: musta, LED-merkkivalot: Teho, WLAN. Verkko-standardit: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Wi-Fi-standardit: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Tuettu WLAN-tiedonsiirtonopeudet: 300 Mbit/s. Dataverkko: 3G, 4G, LTE, 3G-standardit: HSPA, HSPA+, UMTS, 4G-standardit: LTE-FDD. USB-portin tyyppi: Micro-USB



Design		Packaging content	
Device type *	Cellular network router	Cables included	Micro-USB
Product colour *	Black	Performance	
Reset button	✓	Web-based management	✓
LED indicators	Power, WLAN	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
Ethernet LAN features		Mac operating systems supported	✓
Ethernet LAN *	✗	Mobile operating systems supported	Android, Windows Phone, iOS
Ethernet LAN interface type	Not available	Power	
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Power source type *	Battery
DHCP client	✓	Output voltage	5 V
DHCP server	✓	Output current	1 A
Wireless LAN features		Battery capacity	2000 mAh
Wi-Fi *	✓	Operational conditions	
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Operating temperature (T-T)	0 - 35 °C
WLAN data transfer rates supported	300 Mbit/s	Storage temperature (T-T)	-20 - 60 °C
Mobile network		Operating relative humidity (H-H)	10 - 90%
Data network *	3G, 4G, LTE	Storage relative humidity (H-H)	5 - 90%
3G standards	HSPA, HSPA+, UMTS	Weight & dimensions	
4G standard	LTE-FDD	Width	94 mm
3G bands supported	850,900,2100 MHz	Depth	56.6 mm
4G bands supported	800,850,900,1800,2100,2300,2500,2600 MHz	Height	19.7 mm
UMTS bands supported	850,900,2100 MHz	Packaging data	
SIM card type	MicroSIM	Package width	135 mm
Ports & interfaces		Package depth	95 mm
USB port type	Micro-USB	Package height	50 mm
USB port	✓	Package weight	150 g

Security

Security algorithms SSID, WPA-PSK, WPA2-PSK

Logistics data

Harmonized System (HS) code 85176990

Certificates

Certification CE, RoHS



6935364086886



6935364086916



4895252501728

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.