



## APC SRTL1500RM4UXLI UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 1,5 kVA 1350 W 8 AC-pistorasia(a)

**Tuotemerkki :** APC

**Tuotekoodi:** SRTL1500RM4UXLI

**Tuotteen nimi :** SRTL1500RM4UXLI



APC SRTL1500RM4UXLI. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 1,5 kVA, Lähtöteho: 1350 W. Pistorasian tyypit: C13 liitin, Virtapistoke: C14 liitin, Ulostulojen määrä: 8 AC-pistorasia(a). Akkuteknologia: Litiumioni (Li-Ion), Akun jännite: 48 V, Tyypillinen varmuuskopioaika täydellä kuormituksella: 93 min. Kotelo: Telineasennettava/Torni, Tuotteen väri: musta, Hopea, Telineen kapasiteetti: 4U. Tuotteen leveys: 432 mm, Tuotteen syvyys: 590 mm, Tuotteen korkeus: 171 mm



Features		Battery	
UPS topology *	Double-conversion (Online)	Battery technology	Lithium-Ion (Li-Ion)
Output power capacity *	1.5 kVA	Battery voltage	48 V
Output power *	1350 W	Typical backup time at full load	93 min
Waveform *	Sine	Typical backup time at half load	176 min
Input operation voltage (min) *	220 V	Battery life (max)	10 year(s)
Input operation voltage (max) *	230 V		
Input frequency *	40 - 70 Hz		
Output operation voltage (min)	220 V		
Output operation voltage (max)	230 V		
Output frequency	50/60 Hz		
Output frequency regulation	-3 - 3 Hz		
Surge energy rating	340 J		
Heat dissipation	450 BTU/h		
Number of input phases	1		
Crest factor	3:1		
Emergency Power Off (EPO)	✓		
Output voltage Total Harmonic Distortion (THD)	2%		
Noise level	50 dB		
Surge protection	✓		
Audible alarm(s)	✓		
Power source type	AC		
Detachable power cord	✓		
Ports & interfaces		Design	
AC outlet types	C13 coupler	Form factor *	Rackmount/Tower
Power plug	C14 coupler	Rack capacity	4U
AC outlets quantity	8 AC outlet(s)	Cable length	1.83 m
USB port	✓	Product colour *	Black, Silver
		Control type	Buttons
		LED indicators	✓
		International Protection (IP) code	IP20
		Certification	RoHS, CE
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-15 - 45 °C
		Operating relative humidity (H-H)	0 - 95%
		Storage relative humidity (H-H)	0 - 95%
		Operating altitude	0 - 3048 m
		Non-operating altitude	0 - 15240 m
		Technical details	
		Sustainability certificates	Green Premium
		Compliance certificates	CE, RoHS
		Weight & dimensions	
		Width	432 mm
		Depth	590 mm

**Ports & interfaces**


USB 2.0 ports quantity	1
USB port type	USB Type-A
Emergency Power Off (EPO) connector	✓

**Weight & dimensions**

Height	171 mm
Weight	40.7 kg

**Packaging data**

Cables included	Power load cable
-----------------	------------------



0731304508953



731304508953



8592978423735

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.