PHILIPS

Philips E Line 346E2LAE/00 LED display 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black

Brand : Philips   **Product family:** E Line   **Product code:** 346E2LAE/00

Product name : 346E2LAE/00

Monitor 346E2LAE UltraWide LCD monitor

Philips E Line 346E2LAE/00 LED display 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black:

The Philips E line UltraWide display offers expansive panoramic visuals. The WQHD display and ergonomic stand guarantee the optimal viewing conditions. Features like all-in-one USB-C, built-in USB Hub and MultiView help boost up productivity.
Philips E Line 346E2LAE/00. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display

Display diagonal *	86.4 cm (34")
Display resolution *	3440 x 1440 pixels
HD type *	Wide Quad HD
Native aspect ratio *	21:9
Display technology *	LCD
Panel type *	VA
Backlight type	W-LED
Touchscreen *	✘
Display brightness (typical)	300 cd/m²
Response time *	4 ms
Anti-glare screen	✔
Screen shape *	Flat
Contrast ratio (typical) *	4000:1
Dynamic contrast ratio marketing name	Mega Infinity DCR
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	1 ms
Pixel pitch	0.23175 x 0.23175 mm
Pixel density	109.68 ppi
Viewable size, horizontal	79.7 cm
Viewable size, vertical	33.4 cm
Digital horizontal frequency	30 - 160 kHz
Digital vertical frequency	48 - 100 Hz
Display diagonal (metric)	86.36 cm
DDC/CI	✔
Haze rate	25%
Surface hardness	3H
Colour depth	8 bit
Colour gamut standard	sRGB
sRGB coverage (typical)	121.32%
NTSC coverage (typical)	100.05%
Display sRGB	✔

Ergonomics

Panel mounting interface	100 x 100 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Height adjustment	10 cm
Tilt adjustment	✔
Tilt angle range	-5 - 20°
Picture-in-Picture	✔
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Plug and Play	✔
LED indicators	Operation, Stand-by

Power

Energy efficiency class (SDR) *	F
Energy consumption (SDR) per 1000 hours *	31 kWh
Power consumption (typical) *	35 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	External
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1323290

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	3658 - 12192 m

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✔
VESA Adaptive Sync support	✔
Component video sync	Separate sync
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Number of speakers	2
RMS rated power	3 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Home
Product colour *	Black
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB Type-C DisplayPort Alternate Mode	✔
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	65 W
HDMI *	✔
HDMI ports quantity	2
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.2
Audio output	✔
HDCP	✔
HDCP version	1.4/2.2

Ergonomics

VESA mounting *	✔

Weight & dimensions

Width (with stand)	817 mm
Depth (with stand)	235 mm
Height (with stand)	491 mm
Weight (with stand)	7.36 kg
Width (without stand)	817 mm
Depth (without stand)	49 mm
Height (without stand)	365 mm
Weight (without stand)	5.43 kg

Packaging data

Package width	930 mm
Package depth	186 mm
Package height	525 mm
Package weight	10.7 kg

Packaging content

Stand included	✔
Cables included	HDMI, USB Type-C to USB Type-C, AC
Manual	✔

Sustainability

Sustainability compliance	✔
Doesn't contain	Mercury, PVC/BFR

Other features

Compatible operating systems	Mac OS X Windows 11 / 10 / 8.1 / 8 / 7
Picture-by-Picture (PbP)	✔
Exterior finish type	Textured
Picture enhancement	SmartImage game
Recyclable packaging material	100%
Regulatory Approvals	CB; TUV/ISO9241-307; TUV-BAUART; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003
EasyRead mode	✔
LowBlue mode	✔
Compliance certificates	RoHS
Mean time between failures (MTBF)	50000 h

8712581796136