

## StarTech.com HB31C3A1CME keskitin USB 3.2 Gen 2 (3.1 Gen 2) Type-C 10000 Mbit/s musta

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** HB31C3A1CME

**Tuotteen nimi :** HB31C3A1CME



StarTech.com HB31C3A1CME. Isäntäkoneen käyttöliittymä: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, Liittimiä: USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Tiedonsiirtonopeus: 10000 Mbit/s, Tuotteen väri: musta, Kotelon materiaali: Terästä. Virrankulutus: 36 W, Tulojännite: 100 - 240 V, Syöttöjännite: 1 A. Tuotteen leveys: 59,6 mm, Tuotteen syvyys: 152 mm, Tuotteen korkeus: 23,5 mm. Lukumäärä per pakkaus: 1 kpl, Pakkauksen leveys: 149 mm, Pakkauksen syvyys: 290 mm

Ports & interfaces		Weight & dimensions	
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Weight	281 g
Hub interfaces *	USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Packaging data	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3	Quantity per pack	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Package width	149 mm
Ports quantity *	4	Package depth	290 mm
Terminal block port	✓	Package height	70 mm
		Package weight	1.2 kg
Features		Packaging content	
Data transfer rate *	10000 Mbit/s	Included power plug types	ANZ, EU, JP, UK, US
Product colour	Black	Cables included	USB Type-A to USB Type-C, USB Type-C to USB Type-C
Housing material	Steel	Manual	✓
Surge protection	✓	Terminal block included	✓
LED indicators	Link, Power	Operational conditions	
Network		Operating temperature (T-T)	0 - 70 °C
UASP support	✓	Storage temperature (T-T)	-10 - 55 °C
		Operating relative humidity (H-H)	0 - 85%
Power		Logistics data	
Power consumption (typical)	36 W	Master (outer) case width	390 mm
Input voltage	100 - 240 V	Master (outer) case length	515 mm
Input current	1 A	Master (outer) case height	313 mm
Output voltage	12 V	Products per master (outer) case	14 pc(s)
Output current	3 A	Harmonized System (HS) code	84719000
Power plug type	Type M	Technical details	
Weight & dimensions		Compliance certificates	CE, RoHS
Width	59.6 mm		
Depth	152 mm		

**Weight & dimensions**

Height 23.5 mm

**Other features**

Chipset VIA/VLI - VL822



0065030882408



065030882408

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.