

TP-Link TL-SG108-M2 verkkokytkin Hallitsematon 2.5G Ethernet (100/1000/2500) musta

Tuotemerkki : TP-Link Tuotekoodi: TL-SG108-M2

Tuotteen nimi: TL-SG108-M2



TP-Link TL-SG108-M2. Kytkin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 2.5G Ethernet (100/1000/2500), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 40 Gbit/s. Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x. Seinäkiinnitteinen



| Management features | | Performance | |
|---|---|--|--------------------------|
| Switch type * | Unmanaged | Fanless | ✓ |
| Quality of Service (QoS) support | ✓ | Power | |
| Ports & interfaces | | Power source * | DC |
| Basic switching RJ-45 Ethernet ports quantity * | 8 | Power supply included * Input current | ✓ 1.5 A |
| Basic switching RJ-45 Ethernet ports type * | 2.5G Ethernet (100/1000/2500) | Input voltage | 12 V |
| 2.5G Ethernet (copper) ports | 8 | Power over Ethernet (PoE) | |
| quantity | | Power over Ethernet (PoE) * | × |
| Network | 1555 000 2 1555 000 2 L 1555 | Operational conditions | |
| Networking standards * | IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x | Operating temperature (T-T) Storage temperature (T-T) | 0 - 40 °C -40 - 70 °C |
| 10G support * | × | Operating relative humidity (H-H) | 10 - 90% |
| Flow control support | ✓ | Storage relative humidity (H-H) | 5 - 90% |
| Auto MDI/MDI-X | ✓ | Heat dissipation | 53.4 BTU/h |
| Auto-negotiation | ✓ | Weight & dimensions | |
| Data transmission | | Width | 226 mm |
| Switching capacity * | 40 Gbit/s | Depth Height | 131 mm 35 mm |
| Forwarding rate | 29.8 Mpps | | 33 111111 |
| MAC address table * | 16000 entries | Packaging content | 40 (44) (7) 45) |
| Store-and-forward | 1 | Cables included | AC, LAN (RJ-45) |
| Jumbo frames support | 1 | Packaging data | |
| Jumbo frames | 10000 | Package width | 240 mm |
| Packet buffer memory | 1.5 MB | Package depth | 315 mm |
| Design | | Package height | 70 mm |
| Rack mounting * | × | Package weight | 1.35 kg |

| Design | | Logistics data | |
|----------------|-------|-----------------------------|----------|
| Product colour | Black | Harmonized System (HS) code | 85176990 |
| LED indicators | ✓ | | |
| Wall mountable | 1 | | |









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.