## QNAP

## QNAP QSW-M5216-1T verkkokytkin Hallittu L2 musta

Tuotemerkki : QNAP Tuotekoodi: QSW-M5216-1T

Tuotteen nimi: QSW-M5216-1T



QNAP QSW-M5216-1T. Kytkin tyyppi: Hallittu, Kytkinkerros: L2. Console-portti: RS-232. MAC-osoitetaulukko: 32000 entries, Kytkentäkapasiteetti: 820 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE.... Telineasennus



Management features		Design				
Switch type *	Managed	Electromagnetic compatibility	CLASS A			
Switch layer	L2	Performance				
Quality of Service (QoS) support	✓	Firmware upgradeable	are upgradeable			
Web-based management	✓	Power				
Ports & interfaces		Power source *	AC			
Fiber ports quantity Fiber optic connector Console port SFP28 ports quantity	16 SFP28 RS-232 16	Power supply included * AC input voltage AC input frequency Power consumption (max)	100 - 240 V 50 - 60 Hz 80 W			
Network		Power over Ethernet (PoE)				
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3ar, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3bz, IEEE 802.3bz, IEEE 802.3c, IEEE 802.3c, IEEE 802.3c	Power over Ethernet (PoE) *	×			
		Operational conditions				
		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 5 - 95%			
10G support *	✓	Weight & dimensions				
Auto-negotiation	✓	Width	285 mm			
Data transmission		Depth Height	237.7 mm			
Switching capacity *	ng capacity * 820 Gbit/s		43.5 mm 2.15 kg			
Throughput	410 Gbit/s	Weight  Packaging content	2.13 kg			
MAC address table *	32000 entries	Cables included	AC			
Jumbo frames support	<b>✓</b>	Quick start guide	AC ✓			
Jumbo frames	9000	Rack mount kit	·			
Security		Packaging data	•			
DHCP features	DHCP client		2.85 kg			
Access Control List (ACL)	<b>✓</b>	Package weight	2.85 kg			
IGMP snooping	✓	Certificates	OF FOO WOOL BOW			
Design		Certification	CE, FCC, VCCI, BSMI			
Rack mounting *	✓	Logistics data				
Stackable *	×	Harmonized System (HS) code 85176990				
Product colour	Black					
Reset button	✓					

_				
п	es	•	~	m

LED indicators

Activity, Link, Power, Speed, Status





4713213519134

0885022021338



885022021338

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.