

## QNAP QSW-M2106R-2S2T verkkokytkin Hallittu L2 10G Ethernet (100/1000/10000) 1U musta



**Tuotemerkki :** QNAP

**Tuotekoodi:** QSW-M2106R-2S2T

**Tuotteen nimi :** QSW-M2106R-2S2T

QNAP QSW-M2106R-2S2T. Kytkin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 10G Ethernet (100/1000/10000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 2, Asennettujen SFP+ moduulien määrä: 2, Console-portti: RJ-45. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 110 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE.... Telineasennus, Kotelo: 1U

<b>Management features</b>		<b>Design</b>	
Switch type *	Managed	Number of fans	2 fan(s)
Switch layer	L2	Electromagnetic compatibility	CLASS B
<b>Ports &amp; interfaces</b>		<b>Power</b>	
Basic switching RJ-45 Ethernet ports quantity *	2	Power source *	AC
Basic switching RJ-45 Ethernet ports type *	10G Ethernet (100/1000/10000)	Power supply included *	✓
2.5G Ethernet (copper) ports quantity	6	AC input voltage	100 - 240 V
Installed SFP+ modules quantity *	2	AC input frequency	50 - 60 Hz
Console port	RJ-45	Power consumption (typical)	40 W
<b>Network</b>		<b>Power over Ethernet (PoE)</b>	
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE) *	✗
<b>Data transmission</b>		<b>Operational conditions</b>	
Switching capacity *	110 Gbit/s	Operating temperature (T-T)	0 - 40 °C
Throughput	55 Gbit/s	Operating relative humidity (H-H)	5 - 95%
MAC address table *	16000 entries	<b>Weight &amp; dimensions</b>	
<b>Design</b>		Width	207 mm
Rack mounting *	✓	Depth	248.8 mm
Stackable *	✓	Height	43.3 mm
Form factor	1U	Weight	1.53 kg
Product colour	Black	<b>Packaging data</b>	
Reset button	✓	Package weight	2.3 kg
LED indicators	Activity, Link, Power, Speed, Status	<b>Sustainability</b>	
		Sustainability compliance	✓
		<b>Certificates</b>	
		Compliance certificates	CE, Federal Communications Commission (FCC)



4711103082799

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date